

4 Combination table

4 - 1 Combination Table

4MXM68A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room -A-	Room -B-	Room -C-	Room -D-	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	1.5	1,60	-	-	-	1,57	1,60	2,49	0,40	0,42	0,59	1,82	1,98	2,71	95
	2.0	2,00	-	-	-	1,65	2,00	3,00	0,42	0,43	0,67	1,91	2,08	3,08	95
	2.5	2,50	-	-	-	1,74	2,50	3,44	0,44	0,44	0,82	2,00	2,62	3,77	95
	3.5	3,50	-	-	-	1,93	3,50	4,86	0,46	0,46	1,43	2,09	3,84	6,53	95
	4.2	4,20	-	-	-	1,93	4,20	5,33	0,46	0,46	1,43	2,09	3,93	6,56	95
	5.0	5,00	-	-	-	1,94	5,00	6,03	0,44	0,44	2,13	2,00	7,20	9,77	95
	6.0	6,00	-	-	-	1,94	6,00	6,51	0,44	0,44	2,13	2,00	7,29	9,77	95
	1.5+1.5	1,50	1,50	-	-	1,95	3,00	4,79	0,40	0,51	1,15	1,81	2,34	5,25	95
	1.5+2.0	1,50	2,00	-	-	1,95	3,50	4,96	0,40	0,62	1,22	1,81	2,84	5,58	95
	1.5+2.5	1,50	2,50	-	-	1,95	4,00	5,28	0,40	0,75	1,36	1,81	3,44	6,23	95
	1.5+3.5	1,50	3,50	-	-	1,95	5,00	6,17	0,39	1,04	1,83	1,77	4,76	8,39	95
	1.5+4.2	1,50	4,20	-	-	1,95	5,70	6,39	0,39	1,27	1,96	1,77	5,82	8,97	95
	1.5+5.0	1,50	5,00	-	-	1,95	6,50	7,08	0,38	1,50	2,23	1,73	6,87	10,22	95
	1.5+6.0	1,36	5,44	-	-	1,96	6,80	7,59	0,37	1,62	2,36	1,68	7,42	10,79	95
	2.0+2.0	2,00	2,00	-	-	1,95	4,00	5,12	0,40	0,75	1,29	1,81	3,44	5,91	95
	2.0+2.5	2,00	2,50	-	-	1,95	4,50	5,44	0,40	0,89	1,43	1,81	4,08	6,56	95
	2.0+3.5	2,00	3,50	-	-	1,95	5,50	6,30	0,39	1,17	1,91	1,77	5,36	8,76	95
	2.0+4.2	2,00	4,20	-	-	1,95	6,20	6,51	0,39	1,43	2,05	1,77	6,55	9,37	95
	2.0+5.0	1,94	4,86	-	-	1,95	6,80	7,26	0,38	1,59	2,36	1,73	7,28	10,79	95
	2.0+6.0	1,70	5,10	-	-	1,96	6,80	7,71	0,37	1,61	2,45	1,68	7,37	11,20	95
	2.5+2.5	2,50	2,50	-	-	1,95	5,00	6,10	0,41	1,01	1,78	1,89	4,63	8,15	95
	2.5+3.5	2,50	3,50	-	-	1,95	6,00	6,57	0,40	1,29	2,11	1,81	5,91	9,65	95
	2.5+4.2	2,50	4,20	-	-	1,95	6,70	6,95	0,40	1,51	2,38	1,81	6,92	10,88	95
	2.5+5.0	2,27	4,53	-	-	1,95	6,80	7,37	0,37	1,50	2,45	1,68	6,87	11,20	95
	2.5+6.0	2,00	4,80	-	-	1,96	6,80	7,71	0,35	1,48	2,45	1,60	6,78	11,20	95
	3.5+3.5	3,40	3,40	-	-	1,95	6,80	7,13	0,38	1,45	2,37	1,73	6,64	10,83	95
	3.5+4.2	3,09	3,71	-	-	1,95	6,80	7,24	0,38	1,45	2,46	1,73	6,64	11,24	95
	3.5+5.0	2,80	4,00	-	-	1,95	6,80	7,76	0,35	1,42	2,78	1,60	6,50	12,71	95
	3.5+6.0	2,51	4,29	-	-	2,26	6,80	8,07	0,40	1,40	2,72	1,81	6,41	12,46	95
	4.2+4.2	3,40	3,40	-	-	1,95	6,80	7,14	0,38	1,44	2,37	1,73	6,60	10,83	95
	4.2+5.0	3,10	3,70	-	-	1,95	6,80	7,77	0,35	1,41	2,78	1,60	6,46	12,71	95
	4.2+6.0	2,80	4,00	-	-	2,26	6,80	8,08	0,40	1,40	2,72	1,81	6,41	12,46	95
	5.0+5.0	3,40	3,40	-	-	2,34	6,80	8,22	0,43	1,38	2,98	1,98	6,32	13,65	95
	5.0+6.0	3,09	3,71	-	-	2,47	6,80	8,45	0,44	1,37	2,92	2,02	6,28	13,36	95
	1.5+1.5+1.5	1,50	1,50	1,50	-	1,96	4,50	6,40	0,39	0,61	1,57	1,77	2,80	7,17	95
	1.5+1.5+2.0	1,44	1,44	1,92	-	1,96	4,80	6,56	0,39	0,70	1,65	1,77	3,21	7,54	95
	1.5+1.5+2.5	1,42	1,42	2,36	-	1,96	5,20	6,72	0,39	0,83	1,73	1,77	3,81	7,90	95
	1.5+1.5+3.5	1,50	1,50	3,50	-	1,96	6,50	7,11	0,38	1,56	1,92	1,73	7,14	8,80	95
	1.5+1.5+4.2	1,42	1,42	3,97	-	1,96	6,80	7,33	0,38	1,80	2,05	1,73	8,24	9,37	95
	1.5+1.5+5.0	1,28	1,28	4,25	-	1,96	6,80	7,74	0,36	1,75	2,22	1,64	8,01	10,14	95
	1.5+1.5+6.0	1,13	1,13	4,53	-	2,31	6,80	7,99	0,40	1,73	2,17	1,85	7,92	9,94	95
	1.5+2.0+2.0	1,50	2,00	2,00	-	1,96	5,50	6,48	0,39	1,01	1,61	1,77	4,63	7,38	95
	1.5+2.0+2.5	1,50	2,00	2,50	-	1,96	6,00	6,87	0,39	1,32	1,81	1,77	6,05	8,26	95
	1.5+2.0+3.5	1,46	1,94	3,40	-	1,96	6,80	7,25	0,38	1,80	2,01	1,73	8,24	9,21	95
4MXM68N2V1B	1.5+2.0+4.2	1,32	1,77	3,71	-	1,96	6,80	7,47	0,38	1,79	2,14	1,73	8,20	9,78	95
4MXM68N2V1B9	1.5+2.0+5.0	1,20	1,60	4,00	-	1,96	6,80	7,87	0,36	1,74	2,31	1,64	7,97	10,55	95
4MXM68A2V1B	1.5+2.0+6.0	1,07	1,43	4,29	-	2,31	6,80	8,13	0,40	1,72	2,26	1,85	7,88	10,35	95
4MXM68A2V1B9	1.5+2.5+2.5	1,50	2,50	2,50	-	1,96	6,50	7,10	0,38	1,63	1,92	1,73	7,46	8,80	95
	1.5+2.5+3.5	1,36	2,27	3,17	-	1,96	6,80	7,60	0,36	1,79	2,23	1,64	8,20	10,18	95
	1.5+2.5+4.2	1,24	2,07	3,48	-	1,96	6,80	7,81	0,36	1,78	2,35	1,64	8,15	10,75	95
	1.5+2.5+5.0	1,13	1,89	3,78	-	1,96	6,80	7,95	0,36	1,74	2,35	1,64	7,97	10,75	95
	1.5+2.5+6.0	1,02	1,70	4,08	-	2,31	6,80	8,42	0,41	1,71	2,44	1,89	7,83	11,16	95
	1.5+3.5+3.5	1,20	2,80	2,80	-	1,96	6,80	7,94	0,37	1,77	2,45	1,68	8,11	11,20	95
	1.5+3.5+4.2	1,11	2,59	3,10	-	1,96	6,80	8,13	0,37	1,76	2,58	1,68	8,06	11,81	95
	1.5+3.5+5.0	1,02	2,38	3,40	-	1,96	6,80	8,46	0,33	1,72	2,72	1,52	7,88	12,46	95
	1.5+3.5+6.0	0,93	2,16	3,71	-	2,31	6,80	8,56	0,41	1,70	2,53	1,89	7,79	11,57	95
	1.5+4.2+4.2	1,03	2,88	2,88	-	1,96	6,80	8,26	0,37	1,75	2,68	1,68	8,01	12,26	95
	1.5+4.2+5.0	0,95	2,67	3,18	-	1,96	6,80	8,53	0,33	1,71	2,77	1,52	7,83	12,67	95
	2.0+2.0+2.0	2,00	2,00	2,00	-	1,96	6,00	6,64	0,39	1,34	1,68	1,77	6,14	7,70	95
	2.0+2.0+2.5	2,00	2,00	2,50	-	1,96	6,50	7,03	0,39	1,63	1,89	1,77	7,46	8,64	95
	2.0+2.0+3.5	1,81	1,81	3,17	-	1,96	6,80	7,40	0,38	1,79	2,09	1,73	8,20	9,57	95
	2.0+2.0+4.2	1,66	1,66	3,48	-	1,96	6,80	7,61	0,38	1,78	2,23	1,73	8,15	10,18	95
	2.0+2.0+5.0	1,51	1,51	3,78	-	1,96	6,80	8,01	0,36	1,74	2,39	1,64	7,97	10,96	95
	2.0+2.0+6.0	1,36	1,36	4,08	-	2,31	6,80	8,27	0,40	1,71	2,35	1,85	7,83	10,75	95
	2.0+2.5+2.5	1,94	2,43	2,43	-	1,96	6,80	7,24	0,38	1,77	2,01	1,73	8,11	9,21	95
	2.0+2.5+3.5	1,70	2,13	2,98	-	1,96	6,80	7,74	0,36	1,76	2,31	1,64	8,06	10,55	95
	2.0+2.5+4.2	1,56	1,95	3,28	-	1,96	6,80	7,94	0,36	1,75	2,45	1,64	8,01	11,20	95
	2.0+2.5+5.0	1,43	1,79	3,58	-	1,96	6,80	8,08	0,36	1,71	2,44	1,64	7,83	11,16	95
	2.0+2.5+6.0	1,30	1,62	3,89	-	2,31	6,80	8,55	0,41	1,69	2,53	1,89	7,74	11,57	95
	2.0+3.5+3.5	1,51	2,64	2,64	-	1,96	6,80	8,07	0,37	1,74	2,54	1,68	7,97	11,61	95
	2.0+3.5+4.2	1,40	2,45	2,94	-	1,96	6,80	8,25	0,37	1,74	2,68	1,68	7,97	12,26	95
	2.0+3.5+5.0	1,30	2,27	3,24	-	2,28	6,80	8,58	0,40	1,69	2,82	1,85	7,74	12,91	95
	2.0+4.2+4.2	1,31	2,75	2,75	-	1,96	6,80	8,37	0,37	1,73	2,77	1,68	7,92	12,67	95
	2.5+2.5+2.5	2,27	2,27	2,27	-	1,96	6,80	7,53	0,38	1,76	2,18	1,73	8,06	9,98	95
	2.5+2.5+3.5	2,00	2,00	2,80	-	1,96	6,80	7,94	0,36	1,72	2,45	1,64	7,88	11,20	95
	2.5+2.5+4.2	1,85	1,85	3,10	-	1,96	6,80	8,12	0,36	1,71	2,58	1,64	7,83	11,81	95
	2.5+2.5+5.0	1,70	1,70	3,40	-	2,28	6,80	8,45	0,40	1,67	2,72	1,85	7,65	12,46	95
	2.5+2.5+6.0	1,55	1,55	3,71	-	2,42	6,80	8,74	0,40	1,65	2,67	1,85	7,56	12,22	95
	2.5+3.5+3.5	1,79	2,51	2,51	-	2,27	6,80	8,30	0,40	1,70	2,72	1,85	7,79	12,46	95
	2.5+3.5+4.2	1,67	2,33	2,80	-	2,27	6,80	8,43	0,40	1,69	2,82	1,85	7,74	12,91	95
	2.5+3.5+5.0	1,55	2,16	3,09	-	2,48	6,80	8,74	0,42	1,65	2,96	1,94	7,56	13,56	95
	2.5+4.2+4.2	1,56	2,62	2,62	-	2,27	6,80	8,49	0,40	1,68	2,87	1,85	7,69	13,12	95

4 Combination table

4 - 1 Combination Table

4MXM68A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room -A-	Room -B-	Room -C-	Room -D-	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
4MXM68N2V1B 4MXM68N2V1B9 4MXM68A2V1B 4MXM68A2V1B9	3.5+3.5+3.5	2,27	2,27	2,27	-	2,38	6,80	8,59	0,40	1,68	2,96	1,81	7,69	13,56	95
	1.5+1.5+1.5+1.5	1,65	1,65	1,65	1,65	1,97	6,60	7,02	0,38	1,38	1,61	1,73	6,32	7,38	95
	1.5+1.5+1.5+2.0	1,52	1,52	1,52	2,03	1,97	6,60	7,22	0,38	1,37	1,69	1,73	6,28	7,72	95
	1.5+1.5+1.5+2.5	1,41	1,41	1,41	2,36	1,97	6,60	7,45	0,36	1,35	1,78	1,64	6,18	8,15	95
	1.5+1.5+1.5+3.5	1,28	1,28	1,28	2,98	1,97	6,80	7,87	0,37	1,58	1,99	1,68	7,24	9,12	95
	1.5+1.5+1.5+4.2	1,17	1,17	1,17	3,28	1,97	6,80	8,04	0,37	1,58	2,07	1,68	7,24	9,49	95
	1.5+1.5+1.5+5.0	1,07	1,07	1,07	3,58	2,45	6,80	8,28	0,42	1,54	2,27	1,94	7,05	10,39	95
	1.5+1.5+1.5+6.0	0,97	0,97	0,97	3,89	2,48	6,80	8,38	0,40	1,52	2,08	1,81	6,96	9,53	95
	1.5+1.5+2.0+2.0	1,46	1,46	1,94	1,94	1,97	6,80	7,45	0,38	1,60	1,78	1,73	7,33	8,15	95
	1.5+1.5+2.0+2.5	1,36	1,36	1,81	2,27	1,97	6,80	7,62	0,36	1,58	1,87	1,64	7,24	8,55	95
	1.5+1.5+2.0+3.5	1,20	1,20	1,60	2,80	1,97	6,80	8,03	0,37	1,57	2,07	1,68	7,19	9,49	95
	1.5+1.5+2.0+4.2	1,11	1,11	1,48	3,10	1,97	6,80	8,19	0,37	1,56	2,16	1,68	7,14	9,90	95
	1.5+1.5+2.0+5.0	1,02	1,02	1,36	3,40	2,45	6,80	8,43	0,42	1,53	2,36	1,94	7,01	10,78	95
	1.5+1.5+2.0+6.0	0,93	0,93	1,24	3,71	2,48	6,80	8,56	0,40	1,51	2,18	1,81	6,92	9,98	95
	1.5+1.5+2.5+2.5	1,28	1,28	2,13	2,13	1,97	6,80	7,70	0,36	1,58	1,90	1,64	7,24	8,72	95
	1.5+1.5+2.5+3.5	1,13	1,13	1,89	2,64	2,32	6,80	8,11	0,46	1,56	2,12	2,11	7,14	9,69	95
	1.5+1.5+2.5+4.2	1,05	1,05	1,75	2,94	2,32	6,80	8,27	0,46	1,55	2,21	2,11	7,10	10,10	95
	1.5+1.5+2.5+5.0	0,97	0,97	1,62	3,24	2,45	6,80	8,70	0,42	1,52	2,46	1,94	6,96	11,24	95
	1.5+1.5+3.5+3.5	1,02	1,02	2,38	2,38	2,32	6,80	8,57	0,46	1,55	2,39	2,11	7,10	10,92	95
	1.5+1.5+3.5+4.2	0,95	0,95	2,22	2,67	2,44	6,80	8,65	0,50	1,54	2,44	2,27	7,05	11,16	95
	1.5+2.0+2.0+2.0	1,36	1,81	1,81	1,81	1,97	6,80	7,61	0,38	1,59	1,87	1,73	7,28	8,55	95
	1.5+2.0+2.0+2.5	1,28	1,70	1,70	2,13	1,97	6,80	7,78	0,36	1,58	1,95	1,64	7,24	8,92	95
	1.5+2.0+2.0+3.5	1,13	1,51	1,51	2,64	2,32	6,80	8,18	0,46	1,57	2,16	2,11	7,19	9,90	95
	1.5+2.0+2.0+4.2	1,05	1,40	1,40	2,94	2,32	6,80	8,34	0,46	1,56	2,25	2,11	7,14	10,31	95
	1.5+2.0+2.0+5.0	0,97	1,30	1,30	3,24	2,45	6,80	8,77	0,42	1,53	2,51	1,94	7,01	11,49	95
	1.5+2.0+2.5+2.5	1,20	1,60	2,00	2,00	1,97	6,80	7,86	0,36	1,58	1,99	1,64	7,24	9,12	95
	1.5+2.0+2.5+3.5	1,07	1,43	1,79	2,51	2,32	6,80	8,26	0,46	1,56	2,21	2,11	7,14	10,10	95
	1.5+2.0+2.5+4.2	1,00	1,33	1,67	2,80	2,32	6,80	8,43	0,46	1,55	2,30	2,11	7,10	10,51	95
	1.5+2.0+2.5+5.0	0,93	1,24	1,55	3,09	2,45	6,80	8,85	0,42	1,52	2,55	1,94	6,96	11,69	95
	1.5+2.0+3.5+3.5	0,97	1,30	2,27	2,27	1,98	6,80	8,64	0,37	1,55	2,44	1,68	7,10	11,16	95
	1.5+2.5+2.5+2.5	1,13	1,89	1,89	1,89	1,97	6,80	8,18	0,33	1,57	2,16	1,52	7,19	9,90	95
	1.5+2.5+2.5+3.5	1,02	1,70	1,70	2,38	2,32	6,80	8,49	0,40	1,55	2,34	1,81	7,10	10,71	95
	1.5+2.5+2.5+4.2	0,95	1,59	1,59	2,67	2,32	6,80	8,50	0,41	1,55	2,34	1,89	7,10	10,71	95
	1.5+2.5+3.5+3.5	0,93	1,55	2,16	2,16	2,32	6,80	8,71	0,40	1,54	2,48	1,81	7,05	11,36	95
	2.0+2.0+2.0+2.0	1,70	1,70	1,70	1,70	1,97	6,80	7,78	0,38	1,58	1,95	1,73	7,24	8,92	95
	2.0+2.0+2.0+2.5	1,60	1,60	1,60	2,00	1,97	6,80	7,95	0,36	1,58	2,04	1,64	7,24	9,33	95
	2.0+2.0+2.0+3.5	1,43	1,43	1,43	2,51	1,97	6,80	8,33	0,37	1,56	2,25	1,68	7,14	10,31	95
	2.0+2.0+2.0+4.2	1,33	1,33	1,33	2,80	1,97	6,80	8,49	0,37	1,55	2,34	1,68	7,10	10,71	95
	2.0+2.0+2.0+5.0	1,24	1,24	1,24	3,09	2,45	6,80	8,91	0,42	1,52	2,61	1,94	6,96	11,93	95
	2.0+2.0+2.5+2.5	1,51	1,51	1,89	1,89	1,97	6,80	8,10	0,37	1,57	2,12	1,68	7,19	9,69	95
	2.0+2.0+2.5+3.5	1,36	1,36	1,70	2,38	2,32	6,80	8,49	0,41	1,55	2,34	1,89	7,10	10,71	95
	2.0+2.0+2.5+4.2	1,27	1,27	1,59	2,67	2,32	6,80	8,64	0,41	1,55	2,44	1,89	7,10	11,16	95
	2.0+2.0+3.5+3.5	1,24	1,24	2,16	2,16	2,44	6,80	8,78	0,41	1,55	2,53	1,89	7,10	11,57	95
	2.0+2.5+2.5+2.5	1,43	1,79	1,79	1,79	1,97	6,80	8,33	0,37	1,56	2,25	1,68	7,14	10,31	95
	2.0+2.5+2.5+3.5	1,30	1,62	1,62	2,27	2,32	6,80	8,63	0,41	1,55	2,44	1,89	7,10	11,16	95
2.5+2.5+2.5+2.5	1,70	1,70	1,70	1,70	2,32	6,80	8,56	0,42	1,55	2,39	1,94	7,10	10,92	95	
2.5+2.5+2.5+3.5	1,55	1,55	1,55	2,16	2,44	6,80	8,90	0,42	1,54	2,63	1,94	7,05	12,02	95	

Notes

- The total capacity of each connected indoor unit is up to -11.0-kW.
- The values mentioned in this document are for connecting with the following indoor unit types:
 -1.5, 2.0, 2.5, 3.5, 4.2, 5.0, 6.0- kW class
 Wall-mounted - CTXA-AS, CTXA-AT, CTXA-AW, CTXA-BB, CTXA-BS, CTXA-BT, CTXM-M, CTXM-N, CTXM-R, FTXA-AS, FTXA-AT, FTXA-AW, FTXA-BB, FTXA-BS, FTXA-BT, FTXM-M, FTXM-N, FTXM-R, FTXJ-AB, FTXJ-AS, FTXJ-AW-series
- Cooling capacity conditions
 Indoor temperature -27°C DB / -19°C WB
 Outdoor temperature 35°C DB
- For additional information on the connection of the DHW generator for Multi and the Hybrid for Multi, see -3D106169-.

4 Combination table

4 - 1 Combination Table

4MXM68A9

Heating · 230V 50Hz

Outdoor unit	Indoor unit	Heating capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room ·A·	Room ·B·	Room ·C·	Room ·D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	1.5	2.70	-	-	-	1.23	2.70	4.08	0.35	0.73	1.22	1.59	3.35	5.58	95
	2.0	3.00	-	-	-	1.23	3.00	4.09	0.36	0.82	1.28	1.63	3.74	5.86	95
	2.5	3.40	-	-	-	1.27	3.40	4.30	0.37	1.03	1.37	1.69	4.72	6.27	95
	3.5	4.30	-	-	-	1.39	4.30	4.90	0.38	1.42	1.75	1.75	6.50	8.01	95
	4.2	5.00	-	-	-	1.44	5.00	5.70	0.40	1.63	2.04	1.82	7.47	9.34	95
	5.0	6.00	-	-	-	1.66	6.00	6.90	0.39	1.97	2.59	1.78	9.02	11.85	95
	6.0	7.20	-	-	-	1.88	7.20	8.91	0.37	2.42	2.64	1.69	11.05	12.08	95
	1.5+1.5	1.85	1.85	-	-	1.39	3.70	7.38	0.30	0.83	1.83	1.37	3.80	8.38	95
	1.5+2.0	1.80	2.40	-	-	1.45	4.20	7.76	0.31	0.97	1.99	1.43	4.42	9.09	95
	1.5+2.5	1.80	3.00	-	-	1.65	4.80	7.95	0.36	1.13	2.06	1.63	5.15	9.43	95
	1.5+3.5	1.80	4.20	-	-	1.80	6.00	8.50	0.37	1.47	2.35	1.68	6.73	10.74	95
	1.5+4.2	1.82	5.08	-	-	1.80	6.90	8.85	0.37	1.75	2.57	1.68	8.00	11.75	95
	1.5+5.0	1.82	6.08	-	-	2.18	7.90	10.38	0.45	2.05	2.91	2.06	9.39	13.31	95
	1.5+6.0	1.72	6.88	-	-	2.46	8.60	10.58	0.48	2.28	2.67	2.19	10.44	12.21	95
	2.0+2.0	2.40	2.40	-	-	1.65	4.80	7.95	0.36	1.01	2.31	1.63	4.63	10.57	95
	2.0+2.5	2.40	3.00	-	-	1.65	5.40	8.12	0.36	1.19	2.32	1.63	5.44	10.62	95
	2.0+3.5	2.40	4.20	-	-	1.80	6.60	8.67	0.37	1.54	2.43	1.68	7.05	11.12	95
	2.0+4.2	2.42	5.08	-	-	1.80	7.50	9.03	0.37	1.86	2.66	1.68	8.50	12.17	95
	2.0+5.0	2.40	6.00	-	-	2.18	8.40	10.56	0.45	2.21	3.00	2.06	10.10	13.73	95
	2.0+6.0	2.15	6.45	-	-	2.46	8.60	10.75	0.48	2.24	2.74	2.19	10.26	12.55	95
	2.5+2.5	3.00	3.00	-	-	1.65	6.00	8.49	0.36	1.35	2.36	1.63	6.18	10.78	95
	2.5+3.5	3.00	4.20	-	-	1.89	7.20	9.03	0.38	1.74	2.66	1.72	7.97	12.17	95
	2.5+4.2	3.02	5.08	-	-	1.89	8.10	9.29	0.38	2.06	2.82	1.72	9.42	12.93	95
	2.5+5.0	2.87	5.73	-	-	2.27	8.60	10.68	0.46	2.24	3.09	2.11	10.26	14.15	95
	2.5+6.0	2.53	6.07	-	-	2.55	8.60	10.88	0.50	2.22	2.77	2.28	10.17	12.67	95
	3.5+3.5	4.20	4.20	-	-	2.17	8.40	9.38	0.42	2.21	2.86	1.94	10.10	13.09	95
	3.5+4.2	3.91	4.69	-	-	2.17	8.60	9.47	0.42	2.26	2.91	1.94	10.35	13.31	95
	3.5+5.0	3.54	5.06	-	-	2.56	8.60	10.90	0.51	2.22	3.13	2.32	10.17	14.32	95
	3.5+6.0	3.17	5.43	-	-	2.74	8.60	11.01	0.52	2.21	2.76	2.37	10.12	12.63	95
	4.2+4.2	4.30	4.30	-	-	2.17	8.60	9.56	0.42	2.22	2.94	1.94	10.17	13.47	95
	4.2+5.0	3.93	4.67	-	-	2.56	8.60	10.91	0.51	2.21	3.19	2.32	10.12	14.61	95
	4.2+6.0	3.54	5.06	-	-	2.74	8.60	11.02	0.51	2.20	2.79	2.32	10.07	12.76	95
	5.0+5.0	4.30	4.30	-	-	2.94	8.60	11.10	0.59	2.17	3.11	2.71	9.94	14.23	95
	5.0+6.0	3.91	4.69	-	-	3.14	8.60	11.10	0.60	2.15	2.72	2.75	9.84	12.46	95
	1.5+1.5+1.5	1.83	1.83	1.83	-	1.80	5.50	9.92	0.37	1.13	2.26	1.69	5.15	10.36	95
	1.5+1.5+2.0	1.83	1.83	2.44	-	1.94	6.10	10.10	0.40	1.29	2.34	1.83	5.91	10.69	95
	1.5+1.5+2.5	1.83	1.83	3.05	-	2.09	6.70	10.18	0.42	1.48	2.37	1.93	6.80	10.86	95
	1.5+1.5+3.5	1.85	1.85	4.31	-	2.31	8.00	10.29	0.44	1.82	2.49	2.02	8.35	11.41	95
	1.5+1.5+4.2	1.79	1.79	5.02	-	2.31	8.60	10.29	0.44	2.03	2.49	2.02	9.30	11.41	95
	1.5+1.5+5.0	1.61	1.61	5.38	-	2.71	8.60	10.46	0.55	2.01	2.57	2.50	9.20	11.75	95
	1.5+1.5+6.0	1.43	1.43	5.73	-	2.93	8.60	10.59	0.55	1.99	2.31	2.50	9.11	10.57	95
	1.5+2.0+2.0	1.83	2.44	2.44	-	2.01	6.70	10.26	0.41	1.60	2.41	1.89	7.31	11.03	95
	1.5+2.0+2.5	1.83	2.43	3.04	-	2.10	7.30	10.36	0.42	1.73	2.44	1.94	7.93	11.16	95
	1.5+2.0+3.5	1.82	2.43	4.25	-	2.31	8.50	10.45	0.44	2.00	2.58	2.02	9.14	11.79	95
	1.5+2.0+4.2	1.68	2.23	4.69	-	2.31	8.60	10.46	0.44	2.01	2.57	2.02	9.20	11.75	95
	1.5+2.0+5.0	1.52	2.02	5.06	-	2.71	8.60	10.88	0.55	2.00	2.64	2.50	9.16	12.08	95
	1.5+2.0+6.0	1.36	1.81	5.43	-	2.93	8.60	10.89	0.55	1.98	2.38	2.50	9.07	10.91	95
	1.5+2.5+2.5	1.85	3.08	3.08	-	2.20	8.00	10.47	0.45	1.89	2.44	2.06	8.64	11.16	95
	1.5+2.5+3.5	1.72	2.87	4.01	-	2.40	8.60	10.58	0.47	2.02	2.57	2.15	9.25	11.75	95
	1.5+2.5+4.2	1.57	2.62	4.40	-	2.41	8.60	10.58	0.47	2.00	2.57	2.15	9.16	11.75	95
	1.5+2.5+5.0	1.43	2.39	4.78	-	2.81	8.60	11.00	0.56	1.99	2.64	2.58	9.11	12.08	95
	1.5+2.5+6.0	1.29	2.15	5.16	-	3.02	8.60	11.00	0.57	1.97	2.38	2.62	9.02	10.91	95
	1.5+3.5+3.5	1.52	3.54	3.54	-	2.69	8.60	10.59	0.55	1.99	2.57	2.50	9.11	11.75	95
	1.5+3.5+4.2	1.40	3.27	3.93	-	2.69	8.60	10.59	0.55	1.98	2.56	2.50	9.07	11.71	95
	1.5+3.5+5.0	1.29	3.01	4.30	-	3.00	8.60	10.93	0.62	1.97	2.59	2.84	9.02	11.87	95
	1.5+3.5+6.0	1.17	2.74	4.69	-	2.93	8.60	10.93	0.55	1.96	2.37	2.50	8.98	10.86	95
	1.5+4.2+4.2	1.30	3.65	3.65	-	2.69	8.60	10.68	0.55	1.98	2.59	2.50	9.07	11.87	95
	1.5+4.2+5.0	1.21	3.38	4.02	-	3.00	8.60	10.99	0.62	1.96	2.67	2.84	8.98	12.21	95
	2.0+2.0+2.0	2.50	2.50	2.50	-	2.01	7.50	10.44	0.41	1.65	2.48	1.89	7.57	11.37	95
	2.0+2.0+2.5	2.46	2.46	3.08	-	2.10	8.00	10.52	0.42	1.79	2.52	1.94	8.17	11.54	95
	2.0+2.0+3.5	2.29	2.29	4.01	-	2.31	8.60	10.63	0.44	2.04	2.65	2.02	9.34	12.13	95
	2.0+2.0+4.2	2.10	2.10	4.40	-	2.31	8.60	10.63	0.44	2.02	2.65	2.02	9.25	12.13	95
	2.0+2.0+5.0	1.91	1.91	4.78	-	2.71	8.60	10.82	0.55	2.00	2.72	2.50	9.16	12.46	95
	2.0+2.0+6.0	1.72	1.72	5.16	-	2.93	8.60	10.95	0.55	1.99	2.46	2.50	9.11	11.24	95
	2.0+2.5+2.5	2.43	3.04	3.04	-	2.20	8.50	10.54	0.43	1.95	2.61	1.98	8.91	11.96	95
	2.0+2.5+3.5	2.15	2.69	3.76	-	2.40	8.60	10.63	0.46	2.02	2.65	2.11	9.25	12.13	95
	2.0+2.5+4.2	1.98	2.47	4.15	-	2.41	8.60	10.64	0.46	2.01	2.64	2.11	9.20	12.08	95
	2.0+2.5+5.0	1.81	2.26	4.53	-	2.81	8.60	11.06	0.56	1.98	2.75	2.58	9.07	12.59	95
	2.0+2.5+6.0	1.64	2.05	4.91	-	3.02	8.60	11.07	0.56	1.98	2.43	2.58	9.07	11.12	95
	2.0+3.5+3.5	1.91	3.34	3.34	-	2.69	8.60	10.76	0.52	2.00	2.70	2.37	9.16	12.34	95
	2.0+3.5+4.2	1.77	3.10	3.72	-	2.69	8.60	10.76	0.52	1.99	2.69	2.37	9.11	12.29	95
	2.0+3.5+5.0	1.64	2.87	4.10	-	3.00	8.60	11.11	0.58	1.98	2.82	2.67	9.07	12.88	95
	2.0+4.2+4.2	1.65	3.47	3.47	-	2.69	8.60	10.77	0.52	1.97	2.69	2.37	9.02	12.29	95
	2.5+2.5+2.5	2.87	2.87	2.87	-	2.31	8.60	10.65	0.45	1.99	2.64	2.06	9.11	12.08	95
	2.5+2.5+3.5	2.53	2.53	3.54	-	2.50	8.60	10.87	0.48	1.99	2.72	2.19	9.11	12.46	95
	2.5+2.5+4.2	2.34	2.34	3.93	-	2.50	8.60	10.88	0.48	1.97	2.72	2.19	9.02	12.46	95
	2.5+2.5+5.0	2.15	2.15	4.30	-	2.91	8.60	11.07	0.58	1.96	2.78	2.67	8.98	12.72	95
	2.5+2.5+6.0	1.95	1.95	4.69	-	3.12	8.60	11.08	0.58	1.94	2.43	2.67	8.88	11.12	95
	2.5+3.5+3.5	2.26	3.17	3.17	-	2.78	8.60	11.00	0.53	1.96	2.72	2.41	8.98	12.46	95
	2.5+3.5+4.2	2.11	2.95	3.54	-	2.79	8.60	11.01	0.53	1.96	2.71	2.41	8.98	12.42	95
	2.5+3.5+5.0	1.95	2.74	3.91	-	3.19	8.60	11.08	0.60	1.90	2.74	2.75	8.70	12.55	95
	2.5+4.2+4.2	1.97	3.31	3.31	-	2.79	8.60	11.01	0.53	1.95	2.71	2.41	8.93	12.42	95
	3.5+3.5+3.5	2.87	2.87	2.87	-	2.98	8.60	11.06	0.57	1.94	2.79	2.62	8.88	12.76	95

4 Combination table

4 - 1 Combination Table

4MXM68A9

Heating · 230V 50Hz

Outdoor unit	Indoor unit	Heating capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room · A·	Room · B·	Room · C·	Room · D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
4MXM68N2V1B 4MXM68N2V1B9 4MXM68A2V1B 4MXM68A2V1B9	1.5+1.5+1.5+1.5	1,83	1,83	1,83	1,83	2,23	7,30	10,07	0,44	1,52	2,12	2,02	6,94	9,68	95
	1.5+1.5+1.5+2.0	1,85	1,85	1,85	2,46	2,38	8,00	10,25	0,47	1,73	2,19	2,15	7,90	10,02	95
	1.5+1.5+1.5+2.5	1,82	1,82	1,82	3,04	2,57	8,50	10,36	0,50	1,86	2,20	2,28	8,50	10,07	95
	1.5+1.5+1.5+3.5	1,61	1,61	1,61	3,76	2,77	8,60	10,46	0,54	1,84	2,21	2,45	8,43	10,11	95
	1.5+1.5+1.5+4.2	1,48	1,48	1,48	4,15	2,78	8,60	10,46	0,53	1,84	2,20	2,41	8,43	10,06	95
	1.5+1.5+1.5+5.0	1,36	1,36	1,36	4,53	3,10	8,60	10,52	0,59	1,83	2,13	2,71	8,38	9,73	95
	1.5+1.5+1.5+6.0	1,23	1,23	1,23	4,91	3,04	8,60	10,88	0,45	1,79	1,98	2,06	8,20	9,05	95
	1.5+1.5+2.0+2.0	1,82	1,82	2,43	2,43	2,47	8,50	10,44	0,49	1,85	2,26	2,24	8,46	10,36	95
	1.5+1.5+2.0+2.5	1,72	1,72	2,29	2,87	2,57	8,60	10,54	0,50	1,87	2,27	2,28	8,56	10,39	95
	1.5+1.5+2.0+3.5	1,52	1,52	2,02	3,54	2,77	8,60	10,64	0,54	1,84	2,26	2,45	8,43	10,34	95
	1.5+1.5+2.0+4.2	1,40	1,40	1,87	3,93	2,78	8,60	10,65	0,53	1,82	2,25	2,41	8,33	10,30	95
	1.5+1.5+2.0+5.0	1,29	1,29	1,72	4,30	3,10	8,60	10,71	0,59	1,82	2,20	2,71	8,33	10,06	95
	1.5+1.5+2.0+6.0	1,17	1,17	1,56	4,69	3,04	8,60	11,07	0,45	1,78	2,04	2,06	8,15	9,35	95
	1.5+1.5+2.5+2.5	1,61	1,61	2,69	2,69	2,67	8,60	10,55	0,52	1,86	2,23	2,37	8,52	10,19	95
	1.5+1.5+2.5+3.5	1,43	1,43	2,39	3,34	2,98	8,60	10,65	0,59	1,82	2,27	2,71	8,33	10,40	95
	1.5+1.5+2.5+4.2	1,33	1,33	2,22	3,72	2,98	8,60	10,65	0,58	1,81	2,27	2,67	8,29	10,40	95
	1.5+1.5+2.5+5.0	1,23	1,23	2,05	4,10	3,10	8,60	10,90	0,59	1,80	2,25	2,71	8,24	10,30	95
	1.5+1.5+3.5+3.5	1,29	1,29	3,01	3,01	3,18	8,60	10,75	0,64	1,78	2,30	2,93	8,15	10,53	95
	1.5+1.5+3.5+4.2	1,21	1,21	2,81	3,38	2,99	8,60	10,85	0,58	1,78	2,34	2,67	8,15	10,69	95
	1.5+2.0+2.0+2.0	1,72	2,29	2,29	2,29	2,47	8,60	10,63	0,49	1,87	2,34	2,24	8,56	10,69	95
	1.5+2.0+2.0+2.5	1,61	2,15	2,15	2,69	2,57	8,60	10,72	0,50	1,86	2,35	2,28	8,52	10,76	95
	1.5+2.0+2.0+3.5	1,43	1,91	1,91	3,34	2,77	8,60	10,83	0,54	1,81	2,36	2,45	8,29	10,80	95
	1.5+2.0+2.0+4.2	1,33	1,77	1,77	3,72	2,78	8,60	10,84	0,53	1,80	2,35	2,41	8,24	10,74	95
	1.5+2.0+2.0+5.0	1,23	1,64	1,64	4,10	3,10	8,60	10,90	0,59	1,79	2,26	2,71	8,20	10,36	95
	1.5+2.0+2.5+3.5	1,52	2,02	2,53	2,53	2,67	8,60	10,72	0,52	1,86	2,29	2,37	8,52	10,48	95
	1.5+2.0+2.5+3.5	1,36	1,81	2,26	3,17	2,98	8,60	10,83	0,59	1,80	2,35	2,71	8,24	10,74	95
	1.5+2.0+2.5+4.2	1,26	1,69	2,11	3,54	2,98	8,60	10,84	0,58	1,80	2,35	2,67	8,24	10,74	95
	1.5+2.0+2.5+5.0	1,17	1,56	1,95	3,91	3,10	8,60	11,09	0,59	1,79	2,33	2,71	8,20	10,66	95
	1.5+2.0+3.5+3.5	1,23	1,64	2,87	2,87	3,18	8,60	10,93	0,64	1,78	2,37	2,93	8,15	10,86	95
	1.5+2.0+3.5+4.2	1,43	2,39	2,39	2,39	2,77	8,60	10,73	0,55	1,85	2,29	2,50	8,47	10,48	95
	1.5+2.5+2.5+3.5	1,29	2,15	2,15	3,01	3,08	8,60	10,92	0,62	1,79	2,38	2,84	8,20	10,91	95
	1.5+2.5+2.5+4.2	1,21	2,01	2,01	3,38	2,98	8,60	11,01	0,58	1,78	2,41	2,67	8,15	11,03	95
	1.5+2.5+3.5+3.5	1,17	1,95	2,74	2,74	3,18	8,60	11,02	0,64	1,76	2,41	2,93	8,06	11,03	95
	2.0+2.0+2.0+2.0	2,15	2,15	2,15	2,15	2,47	8,60	10,81	0,49	1,86	2,40	2,24	8,52	10,99	95
	2.0+2.0+2.0+2.5	2,02	2,02	2,02	2,53	2,57	8,60	10,90	0,50	1,86	2,41	2,28	8,52	11,03	95
	2.0+2.0+2.0+3.5	1,81	1,81	1,81	3,17	2,77	8,60	11,00	0,54	1,79	2,42	2,45	8,20	11,07	95
	2.0+2.0+2.0+4.2	1,69	1,69	1,69	3,54	2,78	8,60	11,01	0,53	1,80	2,42	2,41	8,24	11,07	95
	2.0+2.0+2.0+5.0	1,56	1,56	1,56	3,91	3,10	8,60	11,08	0,59	1,78	2,34	2,71	8,15	10,69	95
	2.0+2.0+2.5+2.5	1,91	1,91	2,39	2,39	2,67	8,60	10,91	0,52	1,85	2,36	2,37	8,47	10,82	95
	2.0+2.0+2.5+3.5	1,72	1,72	2,15	3,01	2,98	8,60	11,01	0,56	1,78	2,42	2,58	8,15	11,07	95
	2.0+2.0+2.5+4.2	1,61	1,61	2,01	3,38	2,98	8,60	11,01	0,56	1,78	2,42	2,58	8,15	11,07	95
	2.0+2.0+3.5+3.5	1,56	1,56	2,74	2,74	3,18	8,60	11,12	0,61	1,76	2,45	2,80	8,06	11,20	95
2.0+2.5+2.5+2.5	1,81	2,26	2,26	2,26	2,77	8,60	10,91	0,54	1,84	2,36	2,45	8,43	10,82	95	
2.0+2.5+2.5+3.5	1,64	2,05	2,05	2,87	3,08	8,60	11,11	0,59	1,78	2,46	2,71	8,15	11,24	95	
2.5+2.5+2.5+2.5	2,15	2,15	2,15	2,15	2,88	8,60	11,10	0,54	1,84	2,38	2,45	8,43	10,91	95	
2.5+2.5+2.5+3.5	1,95	1,95	1,95	2,74	3,18	8,60	11,11	0,60	1,79	2,37	2,75	8,20	10,86	95	

Notes

- The total capacity of each connected indoor unit is up to ·11.0-kW.
- The values mentioned in this document are for connecting with the following indoor unit types:
 ·1.5, 2.0, 2.5, 3.5, 4.2, 5.0, 6.0· kW class
 Wall-mounted ·CTXA-AS, CXTA-AT, CXTA-AW, CXTA-BB, CXTA-BS, CXTA-BT, CXTM-M, CXTM-N, CXTM-R, FTXA-AS, FTXA-AT, FTXA-AW, FTXA-BB, FTXA-BS, FTXA-BT, FTXM-M, FTXM-N, FTXM-R, FTXJ-AB, FTXJ-AS, FTXJ-AW· series
- Heating capacity conditions
 Indoor temperature ·20·°C DB
 Outdoor temperature ·7·°C DB / ·6·°C WB
- For additional information on the connection of the DHW generator for Multi and the Hybrid for Multi, see ·3D106169·.

4 Combination table

4 - 1 Combination Table

4MXM80A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room ·A·	Room ·B·	Room ·C·	Room ·D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
4MXM80M2V1B 4MXM80N2V1B 4MXM80N2V1B9 4MXM80A2V1B 4MXM80A2V1B9	1.5	1,80	-	-	-	1,73	1,80	2,96	0,42	0,34	0,58	1,91	1,60	2,70	95
	2.0	2,00	-	-	-	1,78	2,00	3,08	0,45	0,38	0,62	2,04	1,80	2,90	95
	2.5	2,50	-	-	-	1,85	2,50	3,65	0,48	0,48	0,81	2,18	2,20	3,80	95
	3.5	3,50	-	-	-	1,95	3,50	4,90	0,49	0,76	1,33	2,24	3,50	6,10	95
	4.2	4,20	-	-	-	1,98	4,20	5,33	0,49	1,01	1,47	2,26	4,70	6,72	95
	5.0	5,00	-	-	-	2,05	5,00	6,03	0,46	1,30	1,74	2,09	6,00	7,97	95
	6.0	6,00	-	-	-	2,15	6,00	6,80	0,46	1,77	2,28	2,09	8,10	10,43	95
	7.1	7,10	-	-	-	2,26	7,10	7,45	0,49	2,53	2,83	2,22	11,60	13,00	95
	1.5+1.5	1,50	1,50	-	-	1,98	3,00	4,79	0,45	0,56	1,02	2,05	2,60	4,65	95
	1.5+2.0	1,50	2,00	-	-	2,01	3,50	4,96	0,49	0,69	1,11	2,24	3,20	5,10	95
	1.5+2.5	1,50	2,50	-	-	2,03	4,00	5,28	0,44	0,83	1,25	2,02	3,90	5,72	95
	1.5+3.5	1,50	3,50	-	-	2,05	5,00	6,17	0,42	1,16	1,59	1,94	5,40	7,29	95
	1.5+4.2	1,50	4,20	-	-	2,12	5,70	6,52	0,46	1,43	1,79	2,11	6,60	8,30	95
	1.5+5.0	1,50	5,00	-	-	2,20	6,50	7,12	0,47	1,70	2,01	2,15	7,80	9,20	95
	1.5+6.0	1,48	5,92	-	-	2,32	7,40	7,77	0,51	2,16	2,38	2,32	9,90	10,90	95
	1.5+7.1	1,40	6,60	-	-	2,47	8,00	8,43	0,54	2,45	2,81	2,48	11,30	13,00	95
	2.0+2.0	2,00	2,00	-	-	1,95	4,00	5,41	0,46	0,84	1,34	2,11	3,90	6,12	95
	2.0+2.5	2,00	2,50	-	-	2,00	4,50	5,85	0,46	0,99	1,50	2,11	4,60	7,00	95
	2.0+3.5	2,00	3,50	-	-	2,10	5,50	6,51	0,46	1,35	1,79	2,11	6,20	8,30	95
	2.0+4.2	2,00	4,20	-	-	2,17	6,20	6,91	0,46	1,64	2,00	2,11	7,60	9,20	95
	2.0+5.0	2,00	5,00	-	-	2,25	7,00	7,45	0,47	1,95	2,21	2,15	9,00	10,11	95
	2.0+6.0	1,85	5,55	-	-	2,39	7,40	8,08	0,51	2,16	2,57	2,32	9,90	11,80	95
	2.0+7.1	1,76	6,24	-	-	2,53	8,00	8,65	0,54	2,45	3,00	2,48	11,30	13,80	95
	2.5+2.5	2,50	2,50	-	-	2,05	5,00	6,28	0,42	1,17	1,69	1,94	5,40	7,80	95
	2.5+3.5	2,50	3,50	-	-	2,15	6,00	6,75	0,46	1,55	1,93	2,11	7,10	8,82	95
	2.5+4.2	2,50	4,20	-	-	2,22	6,70	7,23	0,46	1,89	2,20	2,11	8,70	10,05	95
	2.5+5.0	2,47	4,93	-	-	2,32	7,40	7,80	0,50	2,16	2,39	2,27	9,90	11,00	95
	2.5+6.0	2,35	5,65	-	-	2,46	8,00	8,35	0,54	2,45	2,75	2,48	11,30	12,60	95
	2.5+7.1	2,08	5,92	-	-	2,60	8,00	8,65	0,54	2,45	3,10	2,48	11,30	14,19	95
	3.5+3.5	3,50	3,50	-	-	2,25	7,00	7,45	0,46	2,04	2,31	2,11	9,40	10,57	95
	3.5+4.2	3,50	4,20	-	-	2,35	7,70	7,81	0,50	2,47	2,57	2,27	11,40	11,76	95
	3.5+5.0	3,29	4,71	-	-	2,46	8,00	7,98	0,53	2,45	2,63	2,44	11,30	12,02	95
	3.5+6.0	2,95	5,05	-	-	2,58	8,00	8,61	0,54	2,49	3,04	2,48	11,50	13,91	95
	3.5+7.1	2,64	5,36	-	-	2,74	8,00	8,64	0,58	2,46	2,86	2,65	11,30	13,09	95
	4.2+4.2	4,00	4,00	-	-	2,44	8,00	7,82	0,53	2,66	2,74	2,44	12,20	12,52	95
	4.2+5.0	3,65	4,35	-	-	2,54	8,00	8,17	0,53	2,45	2,82	2,44	11,20	12,91	95
	4.2+6.0	3,29	4,71	-	-	2,68	8,00	8,63	0,58	2,49	3,15	2,65	11,50	14,44	95
	4.2+7.1	2,97	5,03	-	-	2,83	8,00	8,81	0,62	2,46	3,38	2,82	11,30	15,45	95
	5.0+5.0	4,00	4,00	-	-	2,65	8,00	8,33	0,57	2,39	2,78	2,61	11,00	12,70	95
	5.0+6.0	3,64	4,36	-	-	2,79	8,00	8,81	0,62	2,35	3,15	2,82	10,80	14,42	95
	5.0+7.1	3,31	4,69	-	-	2,94	8,00	9,08	0,62	2,35	3,32	2,82	10,80	15,21	95
	6.0+6.0	4,00	4,00	-	-	2,93	8,00	9,42	0,62	2,35	3,49	2,82	10,80	15,99	95
	6.0+7.1	3,66	4,34	-	-	3,22	8,00	9,44	0,58	2,34	3,57	2,70	10,70	16,34	95
	7.1+7.1	4,00	4,00	-	-	3,38	8,00	9,47	0,61	2,30	3,57	2,90	10,60	16,36	95
	1.5+1.5+1.5	1,50	1,50	1,50	-	2,00	4,50	6,40	0,44	0,90	1,41	2,02	4,20	6,44	95
	1.5+1.5+2.0	1,50	1,50	2,00	-	2,05	5,00	6,56	0,48	1,04	1,50	2,19	4,80	6,86	95
	1.5+1.5+2.5	1,50	1,50	2,50	-	2,10	5,50	6,72	0,48	1,21	1,59	2,19	5,60	7,29	95
	1.5+1.5+3.5	1,50	1,50	3,50	-	2,20	6,50	7,13	0,48	1,55	1,82	2,19	7,20	8,40	95
	1.5+1.5+4.2	1,50	1,50	4,20	-	2,28	7,20	7,60	0,48	1,86	2,03	2,19	8,50	9,40	95
	1.5+1.5+5.0	1,39	1,39	4,63	-	2,39	7,40	8,10	0,52	1,87	2,21	2,36	8,60	10,20	95
	1.5+1.5+6.0	1,33	1,33	5,33	-	2,52	8,00	8,55	0,55	2,15	2,45	2,53	9,90	11,30	95
	1.5+1.5+7.1	1,19	1,19	5,62	-	2,67	8,00	9,07	0,59	2,15	2,76	2,69	9,90	12,70	95
	1.5+2.0+2.0	1,50	2,00	2,00	-	2,10	5,50	6,54	0,48	1,21	1,55	2,19	5,60	7,11	95
	1.5+2.0+2.5	1,50	2,00	2,50	-	2,15	6,00	6,89	0,48	1,39	1,70	2,19	6,40	7,77	95
	1.5+2.0+3.5	1,50	2,00	3,50	-	2,25	7,00	7,47	0,48	1,76	1,98	2,19	8,10	9,10	95
1.5+2.0+4.2	1,50	2,00	4,20	-	2,35	7,70	7,92	0,51	2,09	2,20	2,32	9,60	10,10	95	
1.5+2.0+5.0	1,41	1,88	4,71	-	2,46	8,00	8,31	0,54	2,18	2,33	2,48	10,00	10,70	95	
1.5+2.0+6.0	1,26	1,68	5,05	-	2,58	8,00	8,86	0,55	2,15	2,63	2,53	9,90	12,10	95	
1.5+2.0+7.1	1,13	1,51	5,36	-	2,74	8,00	9,26	0,59	2,15	2,89	2,69	9,90	13,30	95	
1.5+2.5+2.5	1,50	2,50	2,50	-	2,20	6,50	7,11	0,48	1,56	1,82	2,19	7,20	8,40	95	
1.5+2.5+3.5	1,48	2,47	3,45	-	2,32	7,40	7,82	0,51	1,95	2,14	2,32	9,00	9,90	95	
1.5+2.5+4.2	1,46	2,44	4,10	-	2,42	8,00	8,25	0,51	2,25	2,37	2,32	10,30	10,90	95	
1.5+2.5+5.0	1,33	2,22	4,44	-	2,52	8,00	8,64	0,54	2,18	2,51	2,48	10,00	11,50	95	
1.5+2.5+6.0	1,20	2,00	4,80	-	2,65	8,00	9,07	0,55	2,15	2,76	2,53	9,90	12,70	95	
1.5+2.5+7.1	1,08	1,80	5,12	-	2,80	8,00	9,37	0,59	2,15	2,95	2,69	9,90	13,60	95	
1.5+3.5+3.5	1,41	3,29	3,29	-	2,46	8,00	8,38	0,54	2,24	2,44	2,48	10,30	11,20	95	
1.5+3.5+4.2	1,30	3,04	3,65	-	2,54	8,00	8,64	0,54	2,24	2,60	2,48	10,30	11,91	95	
1.5+3.5+5.0	1,20	2,80	4,00	-	2,65	8,00	8,83	0,58	2,15	2,65	2,65	9,90	12,13	95	
1.5+3.5+6.0	1,09	2,55	4,36	-	2,79	8,00	9,27	0,59	2,14	2,91	2,69	9,80	13,33	95	
1.5+3.5+7.1	0,99	2,31	4,69	-	2,94	8,00	9,47	0,62	2,14	3,05	2,82	9,80	13,95	95	
1.5+4.2+4.2	1,21	3,39	3,39	-	2,64	8,00	8,65	0,58	2,24	2,70	2,65	10,30	12,36	95	
1.5+4.2+5.0	1,12	3,14	3,74	-	2,75	8,00	8,84	0,58	2,14	2,75	2,65	9,90	12,59	95	
1.5+4.2+6.0	1,03	2,87	4,10	-	2,89	8,00	9,47	0,62	2,14	3,01	2,82	9,80	13,77	95	

4 Combination table

4 - 1 Combination Table

4MXM80A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room ·A·	Room ·B·	Room ·C·	Room ·D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	1.5+4.2+7.1	0,94	2,63	4,44	-	3,04	8,00	9,49	0,65	2,14	3,09	2,99	9,80	14,13	95
	1.5+5.0+5.0	1,04	3,48	3,48	-	2,86	8,00	9,23	0,62	2,09	2,83	2,82	9,60	12,95	95
	1.5+5.0+6.0	0,96	3,20	3,84	-	3,00	8,00	9,66	0,63	2,08	3,03	2,86	9,60	13,86	95
	1.5+5.0+7.1	0,88	2,94	4,18	-	3,32	8,00	9,68	0,58	2,08	3,07	2,70	9,60	14,03	95
	1.5+6.0+6.0	0,89	3,56	3,56	-	3,13	8,00	9,83	0,66	2,05	3,11	3,03	9,40	14,30	95
	2.0+2.0+2.0	2,00	2,00	2,00	-	2,15	6,00	6,76	0,48	1,39	1,69	2,19	6,40	7,73	95
	2.0+2.0+2.5	2,00	2,00	2,50	-	2,20	6,50	7,10	0,48	1,58	1,82	2,19	7,30	8,40	95
	2.0+2.0+3.5	1,97	1,97	3,45	-	2,32	7,40	7,80	0,51	1,96	2,14	2,32	9,00	9,90	95
	2.0+2.0+4.2	1,95	1,95	4,10	-	2,42	8,00	8,23	0,51	2,25	2,37	2,32	10,30	10,90	95
	2.0+2.0+5.0	1,78	1,78	4,44	-	2,52	8,00	8,63	0,54	2,18	2,51	2,48	10,00	11,50	95
	2.0+2.0+6.0	1,60	1,60	4,80	-	2,65	8,00	9,06	0,55	2,15	2,76	2,53	9,90	12,70	95
	2.0+2.0+7.1	1,44	1,44	5,12	-	2,80	8,00	9,45	0,59	2,15	3,02	2,69	9,90	13,90	95
	2.0+2.5+2.5	2,00	2,50	2,50	-	2,25	7,00	7,45	0,48	1,79	1,98	2,19	8,20	9,10	95
	2.0+2.5+3.5	1,85	2,31	3,24	-	2,39	7,40	8,13	0,51	1,95	2,31	2,32	9,00	10,70	95
	2.0+2.5+4.2	1,84	2,30	3,86	-	2,48	8,00	8,45	0,54	2,25	2,49	2,48	10,30	11,50	95
	2.0+2.5+5.0	1,68	2,11	4,21	-	2,58	8,00	8,79	0,54	2,18	2,61	2,48	10,00	11,96	95
	2.0+2.5+6.0	1,52	1,90	4,57	-	2,72	8,00	9,26	0,59	2,15	2,88	2,69	9,90	13,30	95
	2.0+2.5+7.1	1,38	1,72	4,90	-	2,87	8,00	9,55	0,62	2,15	3,08	2,82	9,90	14,20	95
	2.0+3.5+3.5	1,78	3,11	3,11	-	2,52	8,00	8,58	0,54	2,24	2,56	2,48	10,30	11,80	95
	2.0+3.5+4.2	1,65	2,89	3,46	-	2,61	8,00	8,64	0,58	2,24	2,67	2,65	10,30	12,21	95
	2.0+3.5+5.0	1,52	2,67	3,81	-	2,72	8,00	8,83	0,58	2,15	2,72	2,65	9,90	12,43	95
	2.0+3.5+6.0	1,39	2,43	4,17	-	2,86	8,00	9,46	0,62	2,14	3,01	2,82	9,80	13,77	95
	2.0+3.5+7.1	1,27	2,22	4,51	-	3,01	8,00	9,47	0,62	2,14	2,94	2,82	9,80	13,44	95
	2.0+4.2+4.2	1,54	3,23	3,23	-	2,71	8,00	8,65	0,58	2,24	2,80	2,65	10,30	12,82	95
	2.0+4.2+5.0	1,43	3,00	3,57	-	2,82	8,00	9,05	0,62	2,14	2,88	2,82	9,90	13,19	95
	2.0+4.2+6.0	1,31	2,75	3,93	-	2,95	8,00	9,47	0,62	2,14	3,08	2,82	9,80	14,11	95
	2.0+4.2+7.1	1,20	2,53	4,27	-	3,11	8,00	9,49	0,65	2,14	3,16	2,99	9,80	14,47	95
	2.0+5.0+5.0	1,33	3,33	3,33	-	2,93	8,00	9,23	0,62	2,09	2,90	2,82	9,60	13,27	95
	2.0+5.0+6.0	1,23	3,08	3,69	-	3,06	8,00	9,66	0,65	2,08	3,06	2,99	9,60	14,03	95
	2.0+5.0+7.1	1,13	2,84	4,03	-	3,32	8,00	9,68	0,58	2,08	3,07	2,70	9,60	14,03	95
	2.0+6.0+6.0	1,14	3,43	3,43	-	3,32	8,00	10,16	0,58	2,05	3,22	2,70	9,40	14,72	95
	2.5+2.5+2.5	2,47	2,47	2,47	-	2,32	7,40	7,79	0,51	1,96	2,14	2,32	9,00	9,90	95
	2.5+2.5+3.5	2,35	2,35	3,29	-	2,46	8,00	8,35	0,54	2,25	2,43	2,48	10,30	11,20	95
	2.5+2.5+4.2	2,17	2,17	3,65	-	2,54	8,00	8,61	0,54	2,24	2,63	2,48	10,30	12,04	95
	2.5+2.5+5.0	2,00	2,00	4,00	-	2,65	8,00	8,80	0,58	2,15	2,68	2,65	9,90	12,27	95
	2.5+2.5+6.0	1,82	1,82	4,36	-	2,79	8,00	9,33	0,59	2,15	2,94	2,69	9,90	13,45	95
	2.5+2.5+7.1	1,65	1,65	4,69	-	2,94	8,00	9,54	0,62	2,14	3,11	2,82	9,90	14,24	95
	2.5+3.5+3.5	2,11	2,95	2,95	-	2,58	8,00	8,64	0,54	2,24	2,57	2,48	10,30	11,76	95
	2.5+3.5+4.2	1,96	2,75	3,29	-	2,68	8,00	8,65	0,58	2,23	2,73	2,65	10,30	12,52	95
	2.5+3.5+5.0	1,82	2,55	3,64	-	2,79	8,00	8,85	0,62	2,14	2,78	2,82	9,90	12,74	95
	2.5+3.5+6.0	1,67	2,33	4,00	-	2,93	8,00	9,47	0,62	2,14	3,05	2,82	9,80	13,94	95
	2.5+3.5+7.1	1,53	2,14	4,34	-	3,08	8,00	9,49	0,65	2,14	2,94	2,99	9,80	13,45	95
	2.5+4.2+4.2	1,83	3,08	3,08	-	2,78	8,00	8,67	0,62	2,23	2,80	2,82	10,30	12,83	95
	2.5+4.2+5.0	1,71	2,87	3,42	-	2,89	8,00	9,06	0,62	2,14	2,92	2,82	9,90	13,36	95
	2.5+4.2+6.0	1,57	2,65	3,78	-	3,02	8,00	9,48	0,62	2,14	3,12	2,82	9,80	14,30	95
4MXM80M2V1B	2.5+4.2+7.1	1,45	2,43	4,12	-	3,29	8,00	9,50	0,58	2,13	3,16	2,70	9,80	14,48	95
4MXM80N2V1B	2.5+5.0+5.0	1,60	3,20	3,20	-	3,00	8,00	9,24	0,65	2,09	2,90	2,99	9,60	13,27	95
4MXM80A2V1B	2.5+5.0+6.0	1,48	2,96	3,56	-	3,13	8,00	9,68	0,65	2,08	3,07	2,99	9,60	14,03	95
4MXM80A2V1B9	2.5+6.0+6.0	1,38	3,31	3,31	-	3,32	8,00	10,18	0,58	2,05	3,22	2,70	9,40	14,73	95
	3.5+3.5+3.5	2,67	2,67	2,67	-	2,72	8,00	8,79	0,58	2,20	2,70	2,65	10,10	12,36	95
	3.5+3.5+4.2	2,50	2,50	3,00	-	2,82	8,00	8,80	0,62	2,20	2,91	2,82	10,10	13,31	95
	3.5+3.5+5.0	2,33	2,33	3,33	-	2,93	8,00	8,99	0,62	2,14	2,89	2,82	9,80	13,23	95
	3.5+3.5+6.0	2,15	2,15	3,69	-	3,06	8,00	9,52	0,65	2,13	2,94	2,99	9,80	13,46	95
	3.5+3.5+7.1	1,99	1,99	4,03	-	3,30	8,00	9,54	0,58	2,10	3,13	2,70	9,70	14,32	95
	3.5+4.2+4.2	2,35	2,82	2,82	-	2,91	8,00	9,01	0,62	2,20	2,94	2,82	10,10	13,45	95
	3.5+4.2+5.0	2,20	2,65	3,15	-	3,02	8,00	9,21	0,65	2,13	2,96	2,99	9,80	13,53	95
	3.5+4.2+6.0	2,04	2,45	3,50	-	3,30	8,00	9,53	0,58	2,10	3,13	2,70	9,70	14,32	95
	3.5+5.0+5.0	2,07	2,96	2,96	-	3,13	8,00	9,18	0,65	2,08	2,91	2,99	9,60	13,30	95
	3.5+5.0+6.0	1,93	2,76	3,31	-	3,33	8,00	9,72	0,58	2,05	3,07	2,70	9,40	14,05	95
	4.2+4.2+4.2	2,67	2,67	2,67	-	3,01	8,00	9,21	0,65	2,19	3,00	2,99	10,10	13,73	95
	4.2+4.2+5.0	2,51	2,51	2,99	-	3,12	8,00	9,31	0,65	2,13	2,99	2,99	9,80	13,68	95
	4.2+4.2+6.0	2,33	2,33	3,33	-	3,30	8,00	9,54	0,58	2,10	3,13	2,70	9,70	14,32	95
	4.2+5.0+5.0	2,37	2,82	2,82	-	3,32	8,00	9,19	0,58	2,05	2,91	2,70	9,40	13,30	95
	1.5+1.5+1.5+1.5	1,65	1,65	1,65	1,65	2,15	6,60	7,06	0,49	1,39	1,59	2,23	6,38	7,27	95
	1.5+1.5+1.5+2.0	1,55	1,55	1,55	2,06	2,20	6,70	7,26	0,49	1,49	1,70	2,23	6,81	7,77	95
	1.5+1.5+1.5+2.5	1,50	1,50	1,50	2,50	2,25	7,00	7,46	0,49	1,53	1,79	2,23	7,00	8,17	95
	1.5+1.5+1.5+3.5	1,39	1,39	1,39	3,24	2,39	7,40	8,09	0,52	1,77	2,06	2,36	8,10	9,50	95
	1.5+1.5+1.5+4.2	1,38	1,38	1,38	3,86	2,48	8,00	8,46	0,52	2,03	2,23	2,36	9,40	10,30	95
	1.5+1.5+1.5+5.0	1,26	1,26	1,26	4,21	2,58	8,00	8,82	0,55	1,99	2,36	2,53	9,10	10,90	95
	1.5+1.5+1.5+6.0	1,14	1,14	1,14	4,57	2,72	8,00	9,19	0,56	1,98	2,55	2,57	9,10	11,70	95
	1.5+1.5+1.5+7.1	1,03	1,03	1,03	4,90	2,87	8,00	9,53	0,59	1,98	2,74	2,69	9,10	12,60	95
	1.5+1.5+2.0+2.0	1,50	1,50	2,00	2,00	2,25	7,00	7,46	0,49	1,53	1,81	2,23	7,00	8,29	95
	1.5+1.5+2.0+2.5	1,48	1,48	1,97	2,47	2,32	7,40	7,82	0,52	1,77	1,94	2,36	8,20	9,00	95

4 Combination table

4 - 1 Combination Table

4MXM80A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room · A·	Room · B·	Room · C·	Room · D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	1.5+1.5+2.0+3.5	1,41	1,41	1,88	3,29	2,46	8,00	8,34	0,52	2,03	2,17	2,36	9,40	10,00	95
	1.5+1.5+2.0+4.2	1,30	1,30	1,74	3,65	2,54	8,00	8,70	0,55	2,03	2,35	2,53	9,40	10,90	95
	1.5+1.5+2.0+5.0	1,20	1,20	1,60	4,00	2,65	8,00	9,05	0,55	1,99	2,48	2,53	9,10	11,40	95
	1.5+1.5+2.0+6.0	1,09	1,09	1,45	4,36	2,79	8,00	9,41	0,59	1,98	2,67	2,69	9,10	12,30	95
	1.5+1.5+2.0+7.1	0,99	0,99	1,32	4,69	2,94	8,00	9,64	0,63	1,98	2,80	2,86	9,10	12,90	95
	1.5+1.5+2.5+2.5	1,39	1,39	2,31	2,31	2,39	7,40	8,07	0,52	1,77	2,06	2,36	8,20	9,50	95
	1.5+1.5+2.5+3.5	1,33	1,33	2,22	3,11	2,52	8,00	8,58	0,55	2,03	2,29	2,53	9,30	10,60	95
	1.5+1.5+2.5+4.2	1,24	1,24	2,06	3,46	2,61	8,00	8,93	0,55	2,03	2,47	2,53	9,30	11,40	95
	1.5+1.5+2.5+5.0	1,14	1,14	1,90	3,81	2,72	8,00	9,17	0,59	1,98	2,55	2,69	9,10	11,70	95
	1.5+1.5+2.5+6.0	1,04	1,04	1,74	4,17	2,86	8,00	9,53	0,59	1,98	2,74	2,69	9,10	12,60	95
	1.5+1.5+2.5+7.1	0,95	0,95	1,59	4,51	3,01	8,00	9,75	0,63	1,98	2,87	2,86	9,10	13,20	95
	1.5+1.5+3.5+3.5	1,20	1,20	2,80	2,80	2,65	8,00	9,07	0,55	2,00	2,54	2,53	9,20	11,70	95
	1.5+1.5+3.5+4.2	1,12	1,12	2,62	3,14	2,75	8,00	9,30	0,59	2,00	2,66	2,69	9,20	12,30	95
	1.5+1.5+3.5+5.0	1,04	1,04	2,43	3,48	2,86	8,00	9,54	0,59	1,98	2,74	2,69	9,10	12,60	95
	1.5+1.5+3.5+6.0	0,96	0,96	2,24	3,84	3,00	8,00	9,67	0,63	1,95	2,81	2,86	9,00	12,90	95
	1.5+1.5+3.5+7.1	0,88	0,88	2,06	4,18	3,15	8,00	9,78	0,66	1,95	2,87	3,03	9,00	13,20	95
	1.5+1.5+4.2+4.2	1,05	1,05	2,95	2,95	2,84	8,00	9,52	0,59	2,00	2,79	2,69	9,20	12,90	95
	1.5+1.5+4.2+5.0	0,98	0,98	2,75	3,28	2,95	8,00	9,65	0,63	1,98	2,81	2,86	9,10	12,90	95
	1.5+1.5+4.2+6.0	0,91	0,91	2,55	3,64	3,09	8,00	9,78	0,63	1,95	2,87	2,86	9,00	13,20	95
	1.5+1.5+4.2+7.1	0,84	0,84	2,35	3,97	3,38	8,00	9,79	0,57	1,95	2,87	2,70	9,00	13,20	95
	1.5+1.5+5.0+5.0	0,92	0,92	3,08	3,08	3,06	8,00	9,77	0,63	1,94	2,82	2,86	8,90	13,00	95
	1.5+1.5+5.0+6.0	0,86	0,86	2,86	3,43	3,20	8,00	9,78	0,66	1,93	2,82	3,03	8,90	13,00	95
	1.5+2.0+2.0+2.0	1,48	1,97	1,97	1,97	2,32	7,40	7,81	0,52	1,77	1,94	2,36	8,20	9,00	95
	1.5+2.0+2.0+2.5	1,39	1,85	1,85	2,31	2,39	7,40	8,07	0,52	1,77	2,06	2,36	8,20	9,50	95
	1.5+2.0+2.0+3.5	1,33	1,78	1,78	3,11	2,52	8,00	8,57	0,55	2,03	2,29	2,53	9,40	10,60	95
	1.5+2.0+2.0+4.2	1,24	1,65	1,65	3,46	2,61	8,00	8,92	0,55	2,03	2,47	2,53	9,40	11,40	95
	1.5+2.0+2.0+5.0	1,14	1,52	1,52	3,81	2,72	8,00	9,17	0,59	1,99	2,54	2,69	9,10	11,70	95
	1.5+2.0+2.0+6.0	1,04	1,39	1,39	4,17	2,86	8,00	9,52	0,59	1,98	2,74	2,69	9,10	12,60	95
	1.5+2.0+2.0+7.1	0,95	1,27	1,27	4,51	3,01	8,00	9,74	0,63	1,98	2,87	2,86	9,10	13,20	95
	1.5+2.0+2.5+2.5	1,41	1,88	2,35	2,35	2,46	8,00	8,32	0,52	2,04	2,17	2,36	9,40	10,00	95
	1.5+2.0+2.5+3.5	1,26	1,68	2,11	2,95	2,58	8,00	8,81	0,55	2,03	2,41	2,53	9,30	11,10	95
	1.5+2.0+2.5+4.2	1,18	1,57	1,96	3,29	2,68	8,00	9,15	0,59	2,03	2,60	2,69	9,30	11,90	95
	1.5+2.0+2.5+5.0	1,09	1,45	1,82	3,64	2,79	8,00	9,40	0,59	1,98	2,67	2,69	9,10	12,30	95
	1.5+2.0+2.5+6.0	1,00	1,33	1,67	4,00	2,93	8,00	9,64	0,63	1,98	2,80	2,86	9,10	12,90	95
	1.5+2.0+2.5+7.1	0,92	1,22	1,53	4,34	3,08	8,00	9,75	0,63	1,98	2,87	2,86	9,10	13,20	95
	1.5+2.0+3.5+3.5	1,14	1,52	2,67	2,67	2,72	8,00	9,18	0,59	2,00	2,60	2,69	9,20	12,00	95
	1.5+2.0+3.5+4.2	1,07	1,43	2,50	3,00	2,82	8,00	9,40	0,59	2,00	2,73	2,69	9,20	12,50	95
	1.5+2.0+3.5+5.0	1,00	1,33	2,33	3,33	2,93	8,00	9,64	0,63	1,98	2,81	2,86	9,10	12,90	95
	1.5+2.0+3.5+6.0	0,92	1,23	2,15	3,69	3,06	8,00	9,77	0,63	1,95	2,87	2,86	9,00	13,20	95
	1.5+2.0+3.5+7.1	0,85	1,13	1,99	4,03	3,38	8,00	9,78	0,57	1,95	2,87	2,70	9,00	13,20	95
1.5+2.0+4.2+4.2	1,01	1,34	2,82	2,82	2,91	8,00	9,57	0,62	2,00	2,85	2,82	9,20	13,02	95	
1.5+2.0+4.2+5.0	0,94	1,26	2,65	3,15	3,02	8,00	9,71	0,63	1,98	2,86	2,86	9,10	13,08	95	
1.5+2.0+4.2+6.0	0,88	1,17	2,45	3,50	3,16	8,00	9,78	0,66	1,95	2,87	3,03	9,00	13,20	95	
1.5+2.0+5.0+5.0	0,89	1,19	2,96	2,96	3,13	8,00	9,77	0,65	1,94	2,82	2,99	8,90	13,00	95	
1.5+2.0+5.0+6.0	0,83	1,10	2,76	3,31	3,40	8,00	9,78	0,57	1,93	2,82	2,70	8,90	13,00	95	
1.5+2.5+2.5+2.5	1,33	2,22	2,22	2,22	2,52	8,00	8,56	0,55	2,04	2,29	2,53	9,40	10,60	95	
1.5+2.5+2.5+3.5	1,20	2,00	2,00	2,80	2,65	8,00	9,05	0,55	2,03	2,54	2,53	9,30	11,70	95	
1.5+2.5+2.5+4.2	1,12	1,87	1,87	3,14	2,75	8,00	9,27	0,59	2,03	2,66	2,69	9,30	12,30	95	
1.5+2.5+2.5+5.0	1,04	1,74	1,74	3,48	2,86	8,00	9,52	0,59	1,98	2,74	2,69	9,10	12,60	95	
1.5+2.5+2.5+6.0	0,96	1,60	1,60	3,84	3,00	8,00	9,65	0,63	1,98	2,81	2,86	9,10	12,90	95	
1.5+2.5+2.5+7.1	0,88	1,47	1,47	4,18	3,15	8,00	9,76	0,66	1,98	2,87	3,03	9,10	13,20	95	
4MXM80M2V1B	1.5+2.5+3.5+3.5	1,09	1,82	2,55	2,55	2,79	8,00	9,35	0,59	2,00	2,71	2,69	9,20	12,42	95
4MXM80N2V1B	1.5+2.5+3.5+4.2	1,03	1,71	2,39	2,87	2,89	8,00	9,47	0,62	2,00	2,78	2,82	9,20	12,72	95
4MXM80N2V1B9	1.5+2.5+3.5+5.0	0,96	1,60	2,24	3,20	3,00	8,00	9,65	0,63	1,98	2,81	2,86	9,10	12,90	95
4MXM80A2V1B	1.5+2.5+3.5+6.0	0,89	1,48	2,07	3,56	3,13	8,00	9,78	0,66	1,95	2,87	3,03	9,00	13,20	95
4MXM80A2V1B9	1.5+2.5+4.2+4.2	0,97	1,61	2,71	2,71	2,98	8,00	9,58	0,62	2,00	2,85	2,82	9,20	13,03	95
	1.5+2.5+4.2+5.0	0,91	1,52	2,55	3,03	3,09	8,00	9,72	0,65	1,98	2,86	2,99	9,10	13,08	95
	1.5+2.5+4.2+6.0	0,85	1,41	2,37	3,38	3,38	8,00	9,79	0,57	1,95	2,87	2,70	9,00	13,20	95
	1.5+2.5+5.0+5.0	0,86	1,43	2,86	2,86	3,20	8,00	9,49	0,65	1,94	2,74	2,99	8,90	12,52	95
	1.5+3.5+3.5+3.5	1,00	2,33	2,33	2,33	2,93	8,00	9,49	0,62	1,99	2,82	2,82	9,20	12,89	95
	1.5+3.5+3.5+4.2	0,94	2,20	2,20	2,65	3,02	8,00	9,50	0,62	1,99	2,85	2,82	9,20	13,05	95
	1.5+3.5+3.5+5.0	0,89	2,07	2,07	2,96	3,13	8,00	9,74	0,65	1,95	2,86	2,99	9,00	13,09	95
	1.5+3.5+3.5+6.0	0,83	1,93	1,93	3,31	3,39	8,00	9,81	0,57	1,95	2,88	2,70	9,00	13,20	95
	1.5+3.5+4.2+4.2	0,90	2,09	2,51	2,51	3,12	8,00	9,51	0,65	1,99	2,85	2,99	9,20	13,06	95
	1.5+3.5+4.2+5.0	0,85	1,97	2,37	2,82	3,38	8,00	9,75	0,57	1,95	2,86	2,70	9,00	13,09	95
	1.5+4.2+4.2+4.2	0,85	2,38	2,38	2,38	3,36	8,00	9,52	0,57	1,99	2,85	2,70	9,20	13,06	95
	2.0+2.0+2.0+2.0	1,85	1,85	1,85	1,85	2,39	7,40	8,10	0,52	1,77	2,09	2,36	8,20	9,57	95
	2.0+2.0+2.0+2.5	1,88	1,88	1,88	2,35	2,46	8,00	8,42	0,52	2,04	2,23	2,36	9,40	10,30	95
	2.0+2.0+2.0+3.5	1,68	1,68	1,68	2,95	2,58	8,00	8,80	0,55	2,03	2,41	2,53	9,40	11,10	95
	2.0+2.0+2.0+4.2	1,57	1,57	1,57	3,29	2,68	8,00	9,14	0,59	2,03	2,60	2,69	9,40	11,90	95
	2.0+2.0+2.0+5.0	1,45	1,45	1,45	3,64	2,79	8,00	9,39	0,59	1,99	2,67	2,69	9,10	12,30	95
	2.0+2.0+2.0+6.0	1,33	1,33	1,33	4,00	2,93	8,00	9,63	0,63	1,98	2,80	2,86	9,10	12,90	95
	2.0+2.0+2.0+7.1	1,22	1,22	1,22	4,34	3,08	8,00	9,74	0,63	1,98	2,87	2,86	9,10	13,20	95

4 Combination table

4 - 1 Combination Table

4MXM80A9

Cooling · 230V 50Hz·

Outdoor unit	Indoor unit	Cooling capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room ·A·	Room ·B·	Room ·C·	Room ·D·	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	2.0+2.0+2.5+2.5	1,73	1,73	2,17	2,17	2,52	7,80	8,67	0,55	1,94	2,35	2,53	8,90	10,80	95
	2.0+2.0+2.5+3.5	1,60	1,60	2,00	2,00	2,65	8,00	9,04	0,55	2,03	2,54	2,53	9,30	11,70	95
	2.0+2.0+2.5+4.2	1,50	1,50	1,87	3,14	2,75	8,00	9,26	0,59	2,03	2,66	2,69	9,30	12,30	95
	2.0+2.0+2.5+5.0	1,39	1,39	1,74	3,48	2,86	8,00	9,51	0,59	1,98	2,74	2,69	9,10	12,60	95
	2.0+2.0+2.5+6.0	1,28	1,28	1,60	3,84	3,00	8,00	9,74	0,63	1,98	2,87	2,86	9,10	13,20	95
	2.0+2.0+2.5+7.1	1,18	1,18	1,47	4,18	3,15	8,00	9,86	0,66	1,98	2,94	3,03	9,10	13,50	95
	2.0+2.0+3.5+3.5	1,45	1,45	2,55	2,55	2,79	8,00	9,18	0,59	2,00	2,60	2,69	9,20	12,00	95
	2.0+2.0+3.5+4.2	1,37	1,37	2,39	2,87	2,89	8,00	9,51	0,62	2,00	2,79	2,82	9,20	12,90	95
	2.0+2.0+3.5+5.0	1,28	1,28	2,24	3,20	3,00	8,00	9,70	0,63	1,98	2,86	2,86	9,10	13,08	95
	2.0+2.0+3.5+6.0	1,19	1,19	2,07	3,56	3,13	8,00	9,77	0,66	1,95	2,87	3,03	9,00	13,20	95
	2.0+2.0+4.2+4.2	1,29	1,29	2,71	2,71	2,98	8,00	9,57	0,62	2,00	2,88	2,82	9,20	13,19	95
	2.0+2.0+4.2+5.0	1,21	1,21	2,55	3,03	3,09	8,00	9,71	0,65	1,98	2,86	2,99	9,10	13,08	95
	2.0+2.0+4.2+6.0	1,13	1,13	2,37	3,38	3,38	8,00	9,88	0,57	1,95	2,94	2,70	9,00	13,60	95
	2.0+2.0+5.0+5.0	1,14	1,14	2,86	2,86	3,20	8,00	9,87	0,65	1,94	2,88	2,99	8,90	13,30	95
	2.0+2.5+2.5+2.5	1,68	2,11	2,11	2,11	2,58	8,00	8,90	0,55	2,04	2,47	2,53	9,40	11,40	95
	2.0+2.5+2.5+3.5	1,52	1,90	1,90	2,67	2,72	8,00	9,27	0,59	2,03	2,66	2,69	9,30	12,30	95
	2.0+2.5+2.5+4.2	1,43	1,79	1,79	3,00	2,82	8,00	9,49	0,59	2,03	2,79	2,69	9,30	12,90	95
	2.0+2.5+2.5+5.0	1,33	1,67	1,67	3,33	2,93	8,00	9,62	0,63	1,98	2,80	2,86	9,10	12,90	95
	2.0+2.5+2.5+6.0	1,23	1,54	1,54	3,69	3,06	8,00	9,75	0,63	1,98	2,87	2,86	9,10	13,20	95
	4MXM80M2V1B 4MXM80N2V1B 4MXM80N2V1B9 4MXM80A2V1B 4MXM80A2V1B9	2.0+2.5+2.5+7.1	1,13	1,42	1,42	4,03	3,38	8,00	9,87	0,57	1,98	2,94	2,70	9,10	13,50
2.0+2.5+3.5+3.5		1,39	1,74	2,43	2,43	2,86	8,00	9,41	0,62	2,00	2,73	2,82	9,20	12,50	95
2.0+2.5+3.5+4.2		1,31	1,64	2,30	2,75	2,95	8,00	9,47	0,62	2,00	2,85	2,82	9,20	13,04	95
2.0+2.5+3.5+5.0		1,23	1,54	2,15	3,08	3,06	8,00	9,71	0,65	1,98	2,86	2,99	9,10	13,08	95
2.0+2.5+3.5+6.0		1,14	1,43	2,00	3,43	3,20	8,00	9,89	0,66	1,95	2,94	3,03	9,00	13,60	95
2.0+2.5+4.2+4.2		1,24	1,55	2,60	2,60	3,05	8,00	9,58	0,65	2,00	2,88	2,99	9,20	13,19	95
2.0+2.5+4.2+5.0		1,17	1,46	2,45	2,92	3,16	8,00	9,72	0,65	1,98	2,89	2,99	9,10	13,24	95
2.0+2.5+5.0+5.0		1,10	1,38	2,76	2,76	3,40	8,00	9,88	0,57	1,94	2,88	2,70	8,90	13,30	95
2.0+3.5+3.5+3.5		1,28	2,24	2,24	2,24	3,00	8,00	9,44	0,62	1,99	2,73	2,82	9,20	12,60	95
2.0+3.5+3.5+4.2		1,21	2,12	2,12	2,55	3,09	8,00	9,50	0,65	1,99	2,85	2,99	9,20	13,05	95
2.0+3.5+3.5+5.0		1,14	2,00	2,00	2,86	3,20	8,00	9,74	0,65	1,95	2,90	2,99	9,00	13,25	95
2.0+3.5+4.2+4.2		1,15	2,01	2,42	2,42	3,36	8,00	9,51	0,57	1,99	2,89	2,70	9,20	13,22	95
2.5+2.5+2.5+2.5		2,00	2,00	2,00	2,00	2,65	8,00	9,03	0,55	2,03	2,53	2,53	9,40	11,70	95
2.5+2.5+2.5+3.5		1,82	1,82	1,82	2,55	2,79	8,00	9,33	0,59	2,03	2,65	2,69	9,30	12,11	95
2.5+2.5+2.5+4.2		1,71	1,71	1,71	2,87	2,89	8,00	9,55	0,62	2,00	2,84	2,82	9,20	13,02	95
2.5+2.5+2.5+5.0		1,60	1,60	1,60	3,20	3,00	8,00	9,69	0,63	1,98	2,86	2,86	9,10	13,07	95
2.5+2.5+2.5+6.0		1,48	1,48	1,48	3,56	3,13	8,00	9,87	0,66	1,98	2,94	3,03	9,10	13,50	95
2.5+2.5+3.5+3.5		1,67	1,67	2,33	2,33	2,93	8,00	9,31	0,62	2,00	2,67	2,82	9,20	12,30	95
2.5+2.5+3.5+4.2		1,57	1,57	2,20	2,65	3,02	8,00	9,48	0,62	2,00	2,85	2,82	9,20	13,04	95
2.5+2.5+3.5+5.0		1,48	1,48	2,07	2,96	3,13	8,00	9,72	0,65	1,95	2,89	2,99	9,00	13,25	95
2.5+2.5+3.5+6.0	1,38	1,38	1,93	3,31	3,38	8,00	9,90	0,57	1,95	2,94	2,70	9,00	13,60	95	
2.5+2.5+4.2+4.2	1,49	1,49	2,51	2,51	3,12	8,00	9,49	0,65	2,00	2,89	2,99	9,20	13,21	95	
2.5+2.5+4.2+5.0	1,41	1,41	2,37	2,82	3,38	8,00	9,73	0,57	1,95	2,89	2,70	9,00	13,25	95	
2.5+3.5+3.5+3.5	1,54	2,15	2,15	2,15	3,06	8,00	9,50	0,65	1,99	2,78	2,99	9,20	12,74	95	
2.5+3.5+3.5+4.2	1,46	2,04	2,04	2,45	3,16	8,00	9,51	0,65	1,99	2,89	2,99	9,20	13,22	95	
2.5+3.5+3.5+5.0	1,38	1,93	1,93	2,76	3,38	8,00	9,75	0,57	1,95	2,86	2,70	9,00	13,09	95	
2.5+3.5+4.2+4.2	1,39	1,94	2,33	2,33	3,36	8,00	9,52	0,57	1,99	2,89	2,70	9,20	13,22	95	
3.5+3.5+3.5+3.5	2,00	2,00	2,00	2,00	3,36	8,00	9,54	0,57	1,99	2,85	2,70	9,10	13,07	95	

Notes

- The total capacity of each connected indoor unit is up to ·14.5·kW.
- The values mentioned in this document are for connecting with the following indoor unit types:
·1.5, 2.0, 2.5, 3.5, 4.2, 5.0, 6.0, 7.1· kW class
Wall-mounted ·CTXA-AS, CTXA-AT, CTXA-AW, CTXA-BB, CTXA-BS, CTXA-BT, CTXM-M, CTXM-N, CTXM-R, FTXA-AS, FTXA-AT, FTXA-AW, FTXA-BB, FTXA-BS, FTXA-BT, FTXM-M, FTXM-N, FTXM-R, FTXJ-AB, FTXJ-AS, FTXJ-AW· series
- Cooling capacity conditions
Indoor temperature ·27·°C DB / ·19·°C WB
Outdoor temperature ·35·°C DB
- For additional information on the connection of the DHW generator for Multi and the Hybrid for Multi, see ·3D106169·.

4 Combination table

4 - 1 Combination Table

4MXM80A9

Heating · 230V 50Hz

Outdoor unit	Indoor unit	Heating capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room -A-	Room -B-	Room -C-	Room -D-	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
4MXM80M2V1B 4MXM80N2V1B 4MXM80N2V1B9 4MXM80A2V1B 4MXM80A2V1B9	1.5	2,70	-	-	-	1,25	2,70	4,12	0,29	0,47	0,85	1,33	2,14	4,00	95
	2.0	3,00	-	-	-	1,28	3,00	4,27	0,30	0,52	0,90	1,38	2,38	4,20	95
	2.5	3,40	-	-	-	1,33	3,40	4,86	0,32	0,63	1,09	1,46	2,90	5,10	95
	3.5	4,31	-	-	-	1,45	4,31	5,31	0,33	0,94	1,27	1,51	4,40	5,83	95
	4.2	5,18	-	-	-	1,49	5,18	6,16	0,34	1,23	1,58	1,55	5,70	7,25	95
	5.0	6,15	-	-	-	1,86	6,15	7,51	0,43	1,52	2,04	1,95	7,00	9,40	95
	6.0	7,38	-	-	-	2,15	7,38	9,03	0,53	2,04	2,81	2,44	9,40	12,90	95
	7.1	8,74	-	-	-	2,45	8,74	9,39	0,57	2,69	3,00	2,62	12,40	13,80	95
	1.5+1.5	1,85	1,85	-	-	1,45	3,70	7,43	0,41	0,69	1,89	1,89	3,20	8,66	95
	1.5+2.0	1,84	2,46	-	-	1,51	4,30	7,85	0,41	0,85	2,06	1,89	3,90	9,42	95
	1.5+2.5	1,84	3,06	-	-	1,65	4,90	7,99	0,45	1,02	2,11	2,06	4,70	9,65	95
	1.5+3.5	1,83	4,27	-	-	1,94	6,10	8,61	0,52	1,40	2,37	2,37	6,40	10,90	95
	1.5+4.2	1,84	5,16	-	-	2,14	7,00	8,94	0,55	1,71	2,48	2,54	7,90	11,36	95
	1.5+5.0	1,85	6,15	-	-	2,38	8,00	10,44	0,50	1,98	3,02	2,28	9,10	13,82	95
	1.5+6.0	1,80	7,20	-	-	2,68	9,00	10,63	0,44	2,38	3,09	2,10	10,90	14,20	95
	1.5+7.1	1,67	7,93	-	-	3,01	9,60	10,71	0,50	2,62	3,12	2,40	12,00	14,26	95
	2.0+2.0	2,45	2,45	-	-	1,65	4,90	7,99	0,32	1,02	2,11	1,46	4,70	9,65	95
	2.0+2.5	2,44	3,06	-	-	1,80	5,50	8,22	0,35	1,20	2,18	1,59	5,50	10,10	95
	2.0+3.5	2,44	4,26	-	-	2,09	6,70	8,74	0,40	1,60	2,42	1,85	7,40	11,20	95
	2.0+4.2	2,45	5,15	-	-	2,28	7,60	9,07	0,44	1,93	2,53	2,02	8,90	11,59	95
	2.0+5.0	2,43	6,07	-	-	2,68	8,50	10,63	0,44	2,16	3,09	2,10	9,90	14,20	95
	2.0+6.0	2,33	6,98	-	-	2,84	9,30	10,83	0,47	2,50	3,19	2,20	11,50	14,59	95
	2.0+7.1	2,11	7,49	-	-	3,17	9,60	10,97	0,54	2,61	3,23	2,50	12,00	14,80	95
	2.5+2.5	3,05	3,05	-	-	1,94	6,10	8,53	0,39	1,39	2,33	1,76	6,40	10,66	95
	2.5+3.5	3,04	4,26	-	-	2,23	7,30	9,13	0,52	1,84	2,60	2,37	8,50	12,00	95
	2.5+4.2	3,06	5,14	-	-	2,44	8,20	9,41	0,54	2,16	2,67	2,45	9,90	12,30	95
	2.5+5.0	3,00	6,00	-	-	2,68	9,00	10,70	0,44	2,37	3,12	2,10	10,90	14,30	95
	2.5+6.0	2,82	6,78	-	-	3,00	9,60	10,97	0,50	2,61	3,24	2,40	12,00	14,83	95
	2.5+7.1	2,50	7,10	-	-	3,33	9,60	11,01	0,57	2,60	3,20	2,70	11,90	14,65	95
	3.5+3.5	4,25	4,25	-	-	2,52	8,50	9,56	0,55	2,37	2,84	2,54	10,90	12,99	95
	3.5+4.2	4,09	4,91	-	-	2,72	9,00	10,22	0,45	2,53	3,11	2,20	11,60	14,23	95
	3.5+5.0	3,91	5,59	-	-	3,01	9,50	10,96	0,50	2,60	3,26	2,40	12,00	14,90	95
	3.5+6.0	3,54	6,06	-	-	3,33	9,60	11,14	0,57	2,61	3,32	2,70	12,00	15,30	95
	3.5+7.1	3,17	6,43	-	-	3,65	9,60	11,15	0,64	2,60	3,30	3,00	11,90	15,20	95
	4.2+4.2	4,75	4,75	-	-	3,03	9,50	10,01	0,51	2,63	2,91	2,40	12,10	13,31	95
	4.2+5.0	4,38	5,22	-	-	3,16	9,60	11,00	0,53	2,57	3,19	2,50	11,80	14,59	95
	4.2+6.0	3,95	5,65	-	-	3,48	9,60	11,06	0,60	2,55	3,19	2,80	11,70	14,60	95
	4.2+7.1	3,57	6,03	-	-	3,80	9,60	11,07	0,66	2,54	3,17	3,10	11,70	14,60	95
	5.0+5.0	4,80	4,80	-	-	3,45	9,60	11,10	0,58	2,42	3,02	2,70	11,10	13,82	95
	5.0+6.0	4,36	5,24	-	-	3,77	9,60	11,15	0,64	2,41	3,02	3,00	11,10	13,90	95
	5.0+7.1	3,97	5,63	-	-	3,93	9,60	11,16	0,67	2,40	3,00	3,20	11,00	13,80	95
	6.0+6.0	4,80	4,80	-	-	3,93	9,60	11,10	0,67	2,40	2,99	3,20	11,00	13,67	95
	6.0+7.1	4,40	5,20	-	-	4,25	9,60	11,17	0,74	2,38	2,99	3,40	11,00	13,70	95
	7.1+7.1	4,80	4,80	-	-	4,56	9,60	11,25	0,80	2,37	3,02	3,80	10,90	13,80	95
	1.5+1.5+1.5	1,83	1,83	1,83	-	1,80	5,50	10,00	0,40	1,08	2,60	1,85	5,00	11,92	95
	1.5+1.5+2.0	1,83	1,83	2,44	-	1,94	6,10	10,14	0,41	1,24	2,65	1,89	5,70	12,14	95
	1.5+1.5+2.5	1,83	1,83	3,05	-	2,09	6,70	10,21	0,43	1,41	2,66	1,98	6,50	12,30	95
	1.5+1.5+3.5	1,85	1,85	4,31	-	2,38	8,00	10,34	0,47	1,84	2,72	2,15	8,50	12,50	95
	1.5+1.5+4.2	1,81	1,81	5,08	-	2,63	8,70	10,37	0,43	2,05	2,67	2,00	9,40	12,30	95
	1.5+1.5+5.0	1,74	1,74	5,81	-	2,94	9,30	10,49	0,47	2,16	2,58	2,20	9,90	11,79	95
	1.5+1.5+6.0	1,58	1,58	6,33	-	3,10	9,50	11,17	0,50	2,24	2,84	2,40	10,30	13,01	95
	1.5+1.5+7.1	1,43	1,43	6,75	-	3,42	9,60	11,17	0,56	2,25	2,83	2,60	10,30	12,95	95
	1.5+2.0+2.0	1,83	2,44	2,44	-	2,09	6,70	10,27	0,43	1,41	2,70	1,98	6,50	12,36	95
	1.5+2.0+2.5	1,83	2,43	3,04	-	2,23	7,30	10,41	0,45	1,61	2,75	2,06	7,40	12,59	95
	1.5+2.0+3.5	1,82	2,43	4,25	-	2,64	8,50	10,54	0,43	2,02	2,81	2,00	9,30	12,86	95
	1.5+2.0+4.2	1,75	2,34	4,91	-	2,80	9,00	10,58	0,46	2,16	2,73	2,20	9,90	12,51	95
	1.5+2.0+5.0	1,69	2,26	5,65	-	3,10	9,60	10,90	0,50	2,28	2,73	2,40	10,50	12,51	95
	1.5+2.0+6.0	1,52	2,02	6,06	-	3,26	9,60	11,17	0,53	2,25	2,83	2,50	10,40	12,97	95
	1.5+2.0+7.1	1,36	1,81	6,43	-	3,58	9,60	11,18	0,59	2,24	2,82	2,80	10,30	12,91	95
	1.5+2.5+2.5	1,85	3,08	3,08	-	2,38	8,00	10,55	0,47	1,82	2,80	2,15	8,40	12,81	95
	1.5+2.5+3.5	1,80	3,00	4,20	-	2,81	9,00	10,61	0,46	2,19	2,82	2,20	10,10	13,00	95
	1.5+2.5+4.2	1,76	2,93	4,92	-	2,96	9,60	10,64	0,48	2,39	2,76	2,30	11,00	12,70	95
	1.5+2.5+5.0	1,60	2,67	5,33	-	3,10	9,60	11,04	0,50	2,25	2,78	2,40	10,40	12,72	95
	1.5+2.5+6.0	1,44	2,40	5,76	-	3,42	9,60	11,18	0,56	2,24	2,82	2,60	10,30	12,93	95
	1.5+2.5+7.1	1,30	2,16	6,14	-	3,74	9,60	11,18	0,62	2,23	2,81	2,90	10,30	12,87	95
	1.5+3.5+3.5	1,69	3,95	3,95	-	2,97	9,60	10,68	0,49	2,44	2,86	2,30	11,20	13,08	95
	1.5+3.5+4.2	1,57	3,65	4,38	-	3,28	9,60	10,84	0,54	2,39	2,86	2,60	11,00	13,10	95
	1.5+3.5+5.0	1,44	3,36	4,80	-	3,42	9,60	10,97	0,56	2,25	2,74	2,70	10,40	12,60	95
	1.5+3.5+6.0	1,31	3,05	5,24	-	3,74	9,60	11,18	0,62	2,24	2,82	2,90	10,30	12,93	95
	1.5+3.5+7.1	1,19	2,78	5,63	-	4,06	9,60	11,18	0,68	2,23	2,81	3,20	10,30	12,87	95
1.5+4.2+4.2	1,45	4,07	4,07	-	3,44	9,60	10,80	0,57	2,35	2,77	2,70	10,80	12,70	95	
1.5+4.2+5.0	1,35	3,77	4,49	-	3,57	9,60	11,05	0,59	2,22	2,73	2,80	10,20	12,51	95	
1.5+4.2+6.0	1,23	3,45	4,92	-	3,89	9,60	11,26	0,64	2,21	2,79	3,00	10,10	12,90	95	
1.5+4.2+7.1	1,13	3,15	5,33	-	4,21	9,60	11,26	0,70	2,20	2,78	3,30	10,10	12,80	95	
1.5+5.0+5.0	1,25	4,17	4,17	-	3,88	9,60	11,15	0,63	2,13	2,64	3,00	9,80	12,10	95	
1.5+5.0+6.0	1,15	3,84	4,61	-	4,20	9,60	11,29	0,69	2,12	2,68	3,20	9,70	12,30	95	
1.5+5.0+7.1	1,06	3,53	5,01	-	4,35	9,60	11,43	0,72	2,11	2,72	3,30	9,70	12,50	95	
1.5+6.0+6.0	1,07	4,27	4,27	-	4,35	9,60	11,56	0,72	2,11	2,77	3,30	9,70	12,80	95	
2.0+2.0+2.0	2,50	2,50	2,50	-	2,23	7,50	10,48	0,45	1,67	2,77	2,06	7,70	12,70	95	
2.0+2.0+2.5	2,46	2,46	3,08	-	2,38	8,00	10,55	0,47	1,83	2,80	2,15	8,40	12,81	95	
2.0+2.0+3.5	2,40	2,40	4,20	-	2,81	9,00	10,68	0,46	2,19	2,86	2,20	10,10	13,08	95	
2.0+2.0+4.2	2,29	2,29	4,81	-	2,96	9,40	10,71	0,48	2,30	2,80	2,30	10,60	12,83	95	
2.0+2.0+5.0	2,13	2,13	5,33	-	3,10	9,60	10,90	0,50	2,25	2,72	2,40	10,40	12,47	95	
2.0+2.0+6.0	1,92	1,92	5,76	-	3,42	9,60	11,18	0,56	2,24	2,82	2,60	10,30	12,93	95	
2.0+2.0+7.1	1,73	1,73	6,14	-	3,74	9,60	11,18	0,62	2,23	2,81	2,90	10,30	12,87	95	
2.0+2.5+2.5	2,43	3,04	3,04	-											

4 Combination table

4 - 1 Combination Table

4MXM80A9

Heating · 230V 50Hz

Outdoor unit	Indoor unit	Heating capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]
		Room -A-	Room -B-	Room -C-	Room -D-	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	
	2.0+3.5+4.2	1.98	3.46	4.16	-	3.28	9.60	10.85	0.54	2.38	2.83	2.60	11.00	12.95	95
	2.0+3.5+5.0	1.83	3.20	4.57	-	3.58	9.60	11.24	0.59	2.25	2.84	2.80	10.30	13.10	95
	2.0+3.5+6.0	1.67	2.92	5.01	-	3.90	9.60	11.24	0.65	2.24	2.83	3.00	10.30	13.00	95
	2.0+3.5+7.1	1.52	2.67	5.41	-	4.22	9.60	11.25	0.71	2.23	2.82	3.30	10.20	13.00	95
	2.0+4.2+4.2	1.85	3.88	3.88	-	3.60	9.60	10.80	0.60	2.34	2.76	2.80	10.70	12.70	95
	2.0+4.2+5.0	1.71	3.60	4.29	-	3.73	9.60	10.99	0.61	2.21	2.69	2.90	10.20	12.40	95
	2.0+4.2+6.0	1.57	3.30	4.72	-	4.05	9.60	11.26	0.67	2.20	2.78	3.20	10.10	12.80	95
	2.0+4.2+7.1	1.44	3.03	5.12	-	4.37	9.60	11.26	0.74	2.19	2.77	3.40	10.10	12.80	95
	2.0+5.0+5.0	1.60	4.00	4.00	-	4.04	9.60	11.09	0.66	2.12	2.61	3.10	9.70	11.96	95
	2.0+5.0+6.0	1.48	3.69	4.43	-	4.19	9.60	11.29	0.69	2.11	2.67	3.20	9.70	12.30	95
	2.0+5.0+7.1	1.36	3.40	4.83	-	4.51	9.60	11.37	0.75	2.10	2.70	3.50	9.70	12.35	95
	2.0+6.0+6.0	1.37	4.11	4.11	-	4.51	9.60	11.50	0.75	2.11	2.75	3.50	9.70	12.60	95
	2.5+2.5+2.5	3.20	3.20	3.20	-	2.80	9.60	10.69	0.46	2.42	2.84	2.20	11.10	12.98	95
	2.5+2.5+3.5	2.82	2.82	3.95	-	2.97	9.60	10.96	0.49	2.42	2.96	2.30	11.10	13.53	95
	2.5+2.5+4.2	2.61	2.61	4.38	-	3.28	9.60	11.04	0.54	2.37	2.92	2.60	10.90	13.40	95
	2.5+2.5+5.0	2.40	2.40	4.80	-	3.42	9.60	11.11	0.56	2.24	2.78	2.60	10.30	12.80	95
	2.5+2.5+6.0	2.18	2.18	5.24	-	3.74	9.60	11.24	0.62	2.23	2.82	2.90	10.30	13.00	95
	2.5+2.5+7.1	1.98	1.98	5.63	-	4.06	9.60	11.25	0.68	2.22	2.81	3.20	10.20	12.90	95
	2.5+3.5+3.5	2.53	3.54	3.54	-	3.29	9.60	11.15	0.55	2.42	3.03	2.60	11.10	14.00	95
	2.5+3.5+4.2	2.35	3.29	3.95	-	3.44	9.60	11.19	0.57	2.37	2.95	2.70	10.90	13.52	95
	2.5+3.5+5.0	2.18	3.05	4.36	-	3.74	9.60	11.21	0.62	2.24	2.80	2.90	10.30	12.83	95
	2.5+3.5+6.0	2.00	2.80	4.80	-	3.90	9.60	11.24	0.65	2.23	2.82	3.00	10.30	13.00	95
	2.5+3.5+7.1	1.83	2.56	5.20	-	4.22	9.60	11.25	0.71	2.22	2.81	3.30	10.20	12.90	95
	2.5+4.2+4.2	2.20	3.70	3.70	-	3.76	9.60	11.07	0.63	2.33	2.86	2.90	10.70	13.20	95
4MXM80M2V1B	2.5+4.2+5.0	2.05	3.45	4.10	-	3.89	9.60	11.12	0.64	2.20	2.73	3.00	10.10	12.60	95
4MXM80N2V1B	2.5+4.2+6.0	1.89	3.17	4.54	-	4.21	9.60	11.26	0.70	2.19	2.77	3.30	10.10	12.80	95
4MXM80N2V1B9	2.5+4.2+7.1	1.74	2.92	4.94	-	4.53	9.60	11.27	0.77	2.18	2.76	3.60	10.00	12.70	95
4MXM80A2V1B	2.5+5.0+5.0	1.92	3.84	3.84	-	4.20	9.60	11.09	0.69	2.11	2.61	3.20	9.70	11.92	95
4MXM80A2V1B9	2.5+5.0+6.0	1.78	3.56	4.27	-	4.35	9.60	11.29	0.72	2.11	2.66	3.30	9.70	12.30	95
	2.5+6.0+6.0	1.66	3.97	3.97	-	4.67	9.60	11.51	0.78	2.10	2.75	3.60	9.70	12.57	95
	3.5+3.5+3.5	3.20	3.20	3.20	-	3.61	9.60	11.15	0.61	2.42	3.03	2.90	11.10	14.00	95
	3.5+3.5+4.2	3.00	3.00	3.60	-	3.76	9.60	11.17	0.64	2.37	2.98	3.00	10.90	13.70	95
	3.5+3.5+5.0	2.80	2.80	4.00	-	3.90	9.60	11.21	0.65	2.24	2.80	3.00	10.30	12.83	95
	3.5+3.5+6.0	2.58	2.58	4.43	-	4.22	9.60	11.24	0.71	2.23	2.82	3.30	10.30	13.00	95
	3.5+3.5+7.1	2.38	2.38	4.83	-	4.54	9.60	11.25	0.77	2.22	2.81	3.60	10.20	12.90	95
	3.5+4.2+4.2	2.82	3.39	3.39	-	3.92	9.60	10.81	0.66	2.33	2.75	3.10	10.70	12.60	95
	3.5+4.2+5.0	2.65	3.17	3.78	-	4.21	9.60	10.99	0.71	2.20	2.68	3.30	10.10	12.30	95
	3.5+4.2+6.0	2.45	2.94	4.20	-	4.37	9.60	11.26	0.74	2.19	2.77	3.40	10.10	12.80	95
	3.5+5.0+5.0	2.49	3.56	3.56	-	4.35	9.60	11.09	0.72	2.11	2.61	3.30	9.70	11.92	95
	3.5+5.0+6.0	2.32	3.31	3.97	-	4.67	9.60	11.37	0.78	2.11	2.70	3.60	9.70	12.36	95
	4.2+4.2+4.2	3.20	3.20	3.20	-	4.23	9.60	10.83	0.72	2.29	2.70	3.30	10.50	12.40	95
	4.2+4.2+5.0	3.01	3.01	3.58	-	4.37	9.60	11.00	0.73	2.17	2.63	3.40	10.00	12.10	95
	4.2+4.2+6.0	2.80	2.80	4.00	-	4.68	9.60	11.28	0.79	2.16	2.73	3.70	9.90	12.60	95
	4.2+5.0+5.0	2.84	3.38	3.38	-	4.67	9.60	11.10	0.77	2.09	2.57	3.60	9.60	11.76	95
	1.5+1.5+1.5+1.5	1.83	1.83	1.83	1.83	2.23	7.30	10.10	0.39	1.46	2.30	1.76	6.70	10.54	95
	1.5+1.5+1.5+2.0	1.85	1.85	1.85	2.46	2.38	8.00	10.32	0.39	1.64	2.36	1.81	7.60	10.90	95
	1.5+1.5+1.5+2.5	1.82	1.82	1.82	3.04	2.58	8.50	10.39	0.41	1.80	2.39	2.00	8.30	10.94	95
	1.5+1.5+1.5+3.5	1.74	1.74	1.74	4.07	2.91	9.30	10.60	0.46	2.05	2.46	2.20	9.40	11.30	95
	1.5+1.5+1.5+4.2	1.66	1.66	1.66	4.63	3.06	9.60	11.23	0.49	2.12	2.67	2.30	9.70	12.20	95
	1.5+1.5+1.5+5.0	1.52	1.52	1.52	5.05	3.37	9.60	11.30	0.53	2.05	2.59	2.50	9.40	11.90	95
	1.5+1.5+1.5+6.0	1.37	1.37	1.37	5.49	3.53	9.60	11.51	0.56	2.04	2.67	2.70	9.40	12.10	95
	1.5+1.5+1.5+7.1	1.24	1.24	1.24	5.88	3.85	9.60	11.57	0.62	2.04	2.67	2.90	9.40	12.30	95
	1.5+1.5+2.0+2.0	1.82	1.82	2.43	2.43	2.58	8.50	10.53	0.41	1.80	2.44	2.00	8.30	11.18	95
	1.5+1.5+2.0+2.5	1.80	1.80	2.40	3.00	2.74	9.00	10.60	0.44	1.95	2.45	2.10	9.00	11.30	95
	1.5+1.5+2.0+3.5	1.69	1.69	2.26	3.95	3.07	9.60	10.67	0.49	2.14	2.49	2.30	9.90	11.38	95
	1.5+1.5+2.0+4.2	1.57	1.57	2.09	4.38	3.23	9.60	11.23	0.51	2.11	2.66	2.40	9.70	12.16	95
	1.5+1.5+2.0+5.0	1.44	1.44	1.92	4.80	3.37	9.60	11.30	0.53	2.05	2.58	2.50	9.40	11.90	95
	1.5+1.5+2.0+6.0	1.31	1.31	1.75	5.24	3.69	9.60	11.51	0.59	2.04	2.66	2.80	9.40	12.18	95
	1.5+1.5+2.0+7.1	1.19	1.19	1.59	5.63	4.01	9.60	11.57	0.64	2.03	2.67	3.00	9.40	12.30	95
	1.5+1.5+2.5+2.5	1.80	1.80	3.00	3.00	2.90	9.60	10.60	0.46	2.14	2.44	2.20	9.80	11.30	95
	1.5+1.5+2.5+3.5	1.60	1.60	2.67	3.73	3.23	9.60	11.22	0.52	2.14	2.69	2.40	9.80	12.31	95
	1.5+1.5+2.5+4.2	1.48	1.48	2.47	4.16	3.39	9.60	11.23	0.54	2.11	2.65	2.60	9.70	12.13	95
	1.5+1.5+2.5+5.0	1.37	1.37	2.29	4.57	3.53	9.60	11.30	0.56	2.04	2.58	2.60	9.40	11.90	95
	1.5+1.5+2.5+6.0	1.25	1.25	2.09	5.01	3.85	9.60	11.51	0.61	2.04	2.66	2.90	9.40	12.15	95
	1.5+1.5+2.5+7.1	1.14	1.14	1.90	5.41	4.17	9.60	11.57	0.67	2.03	2.66	3.20	9.30	12.30	95
	1.5+1.5+3.5+3.5	1.44	1.44	3.36	3.36	3.39	9.60	11.22	0.55	2.14	2.69	2.60	9.80	12.31	95
	1.5+1.5+3.5+4.2	1.35	1.35	3.14	3.77	3.55	9.60	11.23	0.57	2.11	2.65	2.70	9.70	12.13	95
	1.5+1.5+3.5+5.0	1.25	1.25	2.92	4.17	3.86	9.60	11.30	0.62	2.04	2.58	2.90	9.40	11.90	95
	1.5+1.5+3.5+6.0	1.15	1.15	2.69	4.61	4.18	9.60	11.51	0.67	2.04	2.66	3.20	9.40	12.15	95
	1.5+1.5+3.5+7.1	1.06	1.06	2.47	5.01	4.49	9.60	11.65	0.73	2.03	2.70	3.40	9.30	12.35	95
	1.5+1.5+4.2+4.2	1.26	1.26	3.54	3.54	3.87	9.60	11.23	0.62	2.08	2.61	2.90	9.60	11.97	95
	1.5+1.5+4.2+5.0	1.18	1.18	3.30	3.93	4.01	9.60	11.37	0.64	2.02	2.58	3.00	9.30	11.82	95
	1.5+1.5+4.2+6.0	1.09	1.09	3.05	4.36	4.33	9.60	11.57	0.70	2.02	2.64	3.30	9.30	12.20	95
	1.5+1.5+4.2+7.1	1.01	1.01	2.82	4.77	4.65	9.60	11.66	0.76	2.01	2.67	3.50	9.30	12.24	95
	1.5+1.5+5.0+5.0	1.11	1.11	3.69	3.69	4.32	9.60	11.49	0.69	1.98	2.57	3.20	9.10	11.77	95
	1.5+1.5+5.0+6.0	1.03	1.03	3.43	4.11	4.48	9.60	11.76	0.72	1.98	2.67	3.30	9.10	12.20	95
	1.5+2.0+2.0+2.0	1.90	2.53	2.53	2.53	2.74	9.50	10.67	0.44	2.12	2.49	2.10	9.80	11.38	95
	1.5+2.0+2.0+2.5	1.80	2.40	2.40	3.00	2.90	9.60	10.81	0.46	2.14	2.53	2.20	9.80	11.58	95
	1.5+2.0+2.0+3.5	1.60	2.13	2.											

4 Combination table

4 - 1 Combination Table

4MXM80A9

Heating · 230V 50Hz

Outdoor unit	Indoor unit	Heating capacity [kW]				Total capacity [kW]			Power input [kW]			Total current [A]			Power factor [%]	
		Room -A-	Room -B-	Room -C-	Room -D-	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum		
4MXM80M2V1B	1.5+2.0+3.5+7.1	1,02	1,36	2,38	4,83	4,49	9,60	11,65	0,73	2,03	2,69	3,40	9,30	12,33	95	
	1.5+2.0+4.2+4.2	1,21	1,61	3,39	3,39	4,03	9,60	11,24	0,65	2,08	2,61	3,10	9,60	11,94	95	
	1.5+2.0+4.2+5.0	1,13	1,51	3,17	3,78	4,17	9,60	11,37	0,67	2,02	2,58	3,10	9,30	11,80	95	
	1.5+2.0+4.2+6.0	1,05	1,40	2,94	4,20	4,49	9,60	11,57	0,73	2,01	2,64	3,40	9,30	12,10	95	
	1.5+2.0+5.0+5.0	1,07	1,42	3,56	3,56	4,32	9,60	11,48	0,69	1,98	2,57	3,20	9,10	11,75	95	
	1.5+2.0+5.0+6.0	0,99	1,32	3,31	3,97	4,63	9,60	11,75	0,75	1,99	2,66	3,50	9,20	12,18	95	
	1.5+2.5+2.5+2.5	1,60	2,67	2,67	2,67	3,23	9,60	11,15	0,52	2,13	2,64	2,40	9,80	12,10	95	
	1.5+2.5+2.5+3.5	1,44	2,40	2,40	3,36	3,39	9,60	11,15	0,54	2,13	2,64	2,60	9,80	12,10	95	
	1.5+2.5+2.5+4.2	1,35	2,24	2,24	3,77	3,55	9,60	11,23	0,57	2,10	2,64	2,70	9,60	12,07	95	
	1.5+2.5+2.5+5.0	1,25	2,09	2,09	4,17	3,85	9,60	11,30	0,61	2,03	2,56	2,90	9,40	11,80	95	
	1.5+2.5+2.5+6.0	1,15	1,92	1,92	4,61	4,17	9,60	11,51	0,67	2,03	2,64	3,20	9,30	12,10	95	
	4MXM80N2V1B	1.5+2.5+2.5+7.1	1,06	1,76	1,76	5,01	4,49	9,60	11,57	0,73	2,02	2,65	3,40	9,30	12,20	95
	4MXM80N2V1B9	1.5+2.5+3.5+3.5	1,31	2,18	3,05	3,05	3,72	9,60	11,22	0,60	2,13	2,67	2,80	9,80	12,24	95
	4MXM80A2V1B	1.5+2.5+3.5+4.2	1,23	2,05	2,87	3,45	3,87	9,60	11,23	0,63	2,10	2,64	2,90	9,60	12,07	95
	4MXM80A2V1B9	1.5+2.5+3.5+5.0	1,15	1,92	2,69	3,84	4,17	9,60	11,30	0,67	2,03	2,56	3,20	9,40	11,80	95
		1.5+2.5+3.5+6.0	1,07	1,78	2,49	4,27	4,33	9,60	11,51	0,70	2,03	2,64	3,30	9,30	12,10	95
		1.5+2.5+4.2+4.2	1,16	1,94	3,25	3,25	4,02	9,60	11,24	0,65	2,07	2,60	3,00	9,50	11,91	95
		1.5+2.5+4.2+5.0	1,09	1,82	3,05	3,64	4,33	9,60	11,37	0,70	2,01	2,57	3,30	9,30	11,78	95
		1.5+2.5+4.2+6.0	1,01	1,69	2,84	4,06	4,65	9,60	11,57	0,75	2,01	2,63	3,50	9,30	12,10	95
		1.5+2.5+5.0+5.0	1,03	1,71	3,43	3,43	4,48	9,60	11,48	0,72	1,98	2,56	3,30	9,10	11,73	95
		1.5+3.5+3.5+3.5	1,20	2,80	2,80	2,80	4,04	9,60	11,22	0,66	2,13	2,67	3,10	9,80	12,24	95
		1.5+3.5+3.5+4.2	1,13	2,65	2,65	3,17	4,19	9,60	11,23	0,68	2,10	2,64	3,20	9,60	12,07	95
		1.5+3.5+3.5+5.0	1,07	2,49	2,49	3,56	4,33	9,60	11,37	0,70	2,03	2,60	3,30	9,40	11,90	95
		1.5+3.5+3.5+6.0	0,99	2,32	2,32	3,97	4,65	9,60	11,57	0,76	2,03	2,66	3,50	9,30	12,20	95
		1.5+3.5+4.2+4.2	1,07	2,51	3,01	3,01	4,34	9,60	11,24	0,71	2,07	2,60	3,30	9,50	11,91	95
		1.5+3.5+4.2+5.0	1,01	2,37	2,84	3,38	4,65	9,60	11,37	0,76	2,01	2,57	3,50	9,30	11,78	95
		1.5+4.2+4.2+4.2	1,02	2,86	2,86	2,86	4,50	9,60	11,24	0,73	2,05	2,57	3,40	9,40	11,76	95
		2.0+2.0+2.0+2.0	2,40	2,40	2,40	2,40	2,90	9,60	10,88	0,46	2,10	2,55	2,20	9,60	11,70	95
		2.0+2.0+2.0+2.5	2,26	2,26	2,26	2,82	3,07	9,60	10,95	0,49	2,13	2,58	2,30	9,80	11,79	95
		2.0+2.0+2.0+3.5	2,02	2,02	2,02	3,54	3,23	9,60	11,15	0,52	2,13	2,64	2,40	9,80	12,20	95
		2.0+2.0+2.0+4.2	1,88	1,88	1,88	3,95	3,55	9,60	11,23	0,57	2,10	2,64	2,70	9,70	12,10	95
		2.0+2.0+2.0+5.0	1,75	1,75	1,75	4,36	3,69	9,60	11,30	0,59	2,04	2,57	2,80	9,40	11,90	95
		2.0+2.0+2.0+6.0	1,60	1,60	1,60	4,80	4,01	9,60	11,51	0,64	2,03	2,65	3,00	9,40	12,13	95
		2.0+2.0+2.0+7.1	1,47	1,47	1,47	5,20	4,33	9,60	11,57	0,70	2,03	2,66	3,30	9,30	12,20	95
		2.0+2.0+2.5+2.5	2,13	2,13	2,67	2,67	3,23	9,60	11,15	0,52	2,13	2,64	2,40	9,80	12,10	95
		2.0+2.0+2.5+3.5	1,92	1,92	2,40	3,36	3,39	9,60	11,15	0,54	2,13	2,64	2,60	9,80	12,10	95
		2.0+2.0+2.5+4.2	1,79	1,79	2,24	3,77	3,55	9,60	11,23	0,57	2,10	2,64	2,70	9,60	12,07	95
		2.0+2.0+2.5+5.0	1,67	1,67	2,09	4,17	3,85	9,60	11,30	0,61	2,03	2,57	2,90	9,40	11,80	95
		2.0+2.0+2.5+6.0	1,54	1,54	1,92	4,61	4,17	9,60	11,51	0,67	2,03	2,64	3,20	9,30	12,10	95
		2.0+2.0+2.5+7.1	1,41	1,41	1,76	5,01	4,49	9,60	11,57	0,73	2,02	2,65	3,40	9,30	12,20	95
	2.0+2.0+3.5+3.5	1,75	1,75	3,05	3,05	3,72	9,60	11,22	0,60	2,13	2,67	2,80	9,80	12,24	95	
	2.0+2.0+3.5+4.2	1,64	1,64	2,87	3,45	3,87	9,60	11,23	0,63	2,10	2,64	2,90	9,60	12,07	95	
	2.0+2.0+3.5+5.0	1,54	1,54	2,69	3,84	4,17	9,60	11,30	0,67	2,03	2,57	3,20	9,40	11,80	95	
	2.0+2.0+3.5+6.0	1,42	1,42	2,49	4,27	4,33	9,60	11,51	0,70	2,03	2,64	3,30	9,30	12,10	95	
	2.0+2.0+4.2+4.2	1,55	1,55	3,25	3,25	4,02	9,60	11,24	0,65	2,07	2,60	3,00	9,50	11,91	95	
	2.0+2.0+4.2+5.0	1,45	1,45	3,05	3,64	4,33	9,60	11,37	0,70	2,01	2,57	3,30	9,30	11,78	95	
	2.0+2.0+4.2+6.0	1,35	1,35	2,84	4,06	4,65	9,60	11,57	0,75	2,01	2,63	3,50	9,30	12,10	95	
	2.0+2.0+5.0+5.0	1,37	1,37	3,43	3,43	4,48	9,60	11,48	0,72	1,98	2,56	3,30	9,10	11,74	95	
	2.0+2.5+2.5+2.5	2,02	2,53	2,53	2,53	3,23	9,60	11,15	0,52	2,12	2,63	2,40	9,80	12,10	95	
	2.0+2.5+2.5+3.5	1,83	2,29	2,29	3,20	3,55	9,60	11,15	0,57	2,12	2,63	2,70	9,80	12,10	95	
	2.0+2.5+2.5+4.2	1,71	2,14	2,14	3,60	3,71	9,60	11,16	0,60	2,09	2,59	2,80	9,60	11,90	95	
	2.0+2.5+2.5+5.0	1,60	2,00	2,00	4,00	4,01	9,60	11,30	0,64	2,03	2,56	3,00	9,30	11,80	95	
	2.0+2.5+2.5+6.0	1,48	1,85	1,85	4,43	4,17	9,60	11,51	0,67	2,02	2,64	3,10	9,30	12,08	95	
	2.0+2.5+2.5+7.1	1,36	1,70	1,70	4,83	4,49	9,60	11,57	0,73	2,02	2,65	3,40	9,30	12,20	95	
	2.0+2.5+3.5+3.5	1,67	2,09	2,92	2,92	3,88	9,60	11,23	0,63	2,12	2,67	2,90	9,80	12,20	95	
	2.0+2.5+3.5+4.2	1,57	1,97	2,75	3,30	4,03	9,60	11,23	0,65	2,09	2,63	3,10	9,60	12,04	95	
	2.0+2.5+3.5+5.0	1,48	1,85	2,58	3,69	4,17	9,60	11,30	0,67	2,03	2,56	3,20	9,30	11,80	95	
	2.0+2.5+3.5+6.0	1,37	1,71	2,40	4,11	4,49	9,60	11,51	0,73	2,02	2,64	3,40	9,30	12,08	95	
	2.0+2.5+4.2+4.2	1,49	1,86	3,13	3,13	4,18	9,60	11,24	0,68	2,07	2,60	3,20	9,50	11,88	95	
	2.0+2.5+4.2+5.0	1,40	1,75	2,94	3,50	4,49	9,60	11,37	0,73	2,01	2,57	3,40	9,30	11,76	95	
	2.0+2.5+5.0+5.0	1,32	1,66	3,31	3,31	4,63	9,60	11,48	0,75	1,99	2,56	3,50	9,20	11,72	95	
	2.0+3.5+3.5+3.5	1,54	2,69	2,69	2,69	4,20	9,60	11,23	0,69	2,12	2,67	3,20	9,80	12,20	95	
	2.0+3.5+3.5+4.2	1,45	2,55	2,55	3,05	4,35	9,60	11,23	0,71	2,09	2,63	3,30	9,60	12,04	95	
	2.0+3.5+3.5+5.0	1,37	2,40	2,40	3,43	4,49	9,60	11,37	0,73	2,03	2,60	3,40	9,30	11,88	95	
	2.0+3.5+4.2+4.2	1,38	2,42	2,90	2,90	4,50	9,60	11,24	0,74	2,07	2,60	3,40	9,50	11,88	95	
	2.5+2.5+2.5+2.5	2,40	2,40	2,40	2,40	3,39	9,60	11,16	0,54	2,11	2,62	2,60	9,70	12,10	95	
	2.5+2.5+2.5+3.5	2,18	2,18	2,18	3,05	3,71	9,60	11,16	0,60	2,11	2,62	2,80	9,70	12,10	95	
	2.5+2.5+2.5+4.2	2,05	2,05	2,05	3,45	3,87	9,60	11,16	0,62	2,09	2,59	2,90	9,60	11,90	95	
	2.5+2.5+2.5+5.0	1,92	1,92	1,92	3,84	4,17	9,60	11,30	0,67	2,03	2,55	3,10	9,30	11,80	95	
	2.5+2.5+2.5+6.0	1,78	1,78	1,78	4,27	4,33	9,60	11,51	0,70	2,02	2,63	3,30	9,30	12,05	95	
	2.5+2.5+3.5+3.5	2,00	2,00	2,80	2,80	4,03	9,60	11,23	0,66	2,11	2,66	3,10	9,70	12,17	95	
	2.5+2.5+3.5+4.2	1,89	1,89	2,65	3,17	4,19	9,60	11,23	0,68	2,09	2,62	3,20	9,60	12,00	95	
	2.5+2.5+3.5+5.0	1,78	1,78	2,49	3,56	4,33	9,60	11,30	0,70	2,03	2,55	3,30	9,30	11,80	95	
	2.5+2.5+3.5+6.0	1,66	1,66	2,32	3,97	4,65	9,60	11,51	0,76	2,02	2,63	3,50	9,30	12,05	95	
	2.5+2.5+4.2+4.2	1,79	1,79	3,01	3,01	4,34	9,60	11,24	0,71	2,06	2,59	3,30	9,50	11,85	95	
	2.5+2.5+4.2+5.0	1,69	1,69	2,84	3,38	4,65	9,60	11,37	0,75	2,01	2,56	3,50	9,20	11,73	95	
	2.5+3.5+3.5+3.5	1,85	2,58	2,58	2,58	4,20	9,									